

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

- 1.1 Product identifier:** Laguna
Other means of identification:
Not relevant
- 1.2 Relevant identified uses of the substance or mixture and uses advised against:**
Relevant uses (Consumer use): Air freshener
Relevant uses (Professional users): Air freshener
Relevant uses (Industrial user): Air freshener
Uses advised against: All uses not specified in this section or in section 7.3
- 1.3 Details of the supplier of the safety data sheet:**
ProElite Sp. z o.o.
Leśników Polskich 65K
98-100 Łask - Polska
Phone: 436712375
msds@proelite.pl
www.proelite.pl
- 1.4 Emergency telephone number:** The correct telephone number for your country

SECTION 2: HAZARDS IDENTIFICATION

- 2.1 Classification of the substance or mixture:**
CLP Regulation (EC) No 1272/2008:
Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.
Aquatic Chronic 3: Hazardous to the aquatic environment, long-term hazard, Category 3, H412
- 2.2 Label elements:**
CLP Regulation (EC) No 1272/2008:
Hazard statements:
Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.
Precautionary statements:
P101: If medical advice is needed, have product container or label at hand.
P102: Keep out of reach of children.
P273: Avoid release to the environment.
P501: Dispose of contents/container according to the separated collection system used in your municipality.
Supplementary information:
EUH208: Contains Linalyl acetate, Orange, sweet, ext., Linalool, Hexyl cinnam-aldehyde, 2-(4-tert-Butylbenzyl)propionaldehyde, Lysmeral extra. May produce an allergic reaction.
- 2.3 Other hazards:**
Product does not meet PBT/vPvB criteria
Endocrine-disrupting properties: The product does not meet the criteria.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

- 3.1 Substance:**
Not relevant
- 3.2 Mixture:**
Chemical description: Aqueous mixture composed of alcohols, colourants, glycol ethers, perfume and tensoactives
Components:
In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

Identification	Chemical name/Classification	Concentration
CAS: 37251-69-7 EC: 609-376-6 Index: Not relevant REACH: Not relevant	Ethylene oxide - propylene oxide copolymer mono(nonylphenyl) ether⁽¹⁾ Regulation 1272/2008 Aquatic Chronic 3: H412	Self-classified 5 - <10%

⁽¹⁾ Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)

Identification	Chemical name/Classification		Concentration
CAS: 67-63-0 EC: 200-661-7 Index: 603-117-00-0 REACH: 01-2119457558-25-XXXX	propan-2-ol ⁽¹⁾ ATP CLP00		3 - <5%
	Regulation 1272/2008	Eye Irrit. 2: H319; Flam. Liq. 2: H225; STOT SE 3: H336 - Danger	
CAS: 115-95-7 EC: 204-116-4 Index: Not relevant REACH: 01-2119454789-19-XXXX	Linalyl acetate ⁽¹⁾ Self-classified		0.3 - <1%
	Regulation 1272/2008	Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Warning	
CAS: 78-70-6 EC: 201-134-4 Index: 603-235-00-2 REACH: 01-2119474016-42-XXXX	Linalool ⁽¹⁾ Self-classified		<0.3%
	Regulation 1272/2008	Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Warning	
CAS: 8028-48-6 EC: 232-433-8 Index: Not relevant REACH: 01-2119493353-35-XXXX	Orange, sweet, ext. ⁽¹⁾ Self-classified		<0.3%
	Regulation 1272/2008	Aquatic Chronic 3: H412; Asp. Tox. 1: H304; Flam. Liq. 3: H226; Skin Irrit. 2: H315; Skin Sens. 1: H317 - Danger	
CAS: 1222-05-5 EC: 214-946-9 Index: 603-212-00-7 REACH: 01-2119488227-29-XXXX	1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran ⁽¹⁾ ATP ATP01		<0.3%
	Regulation 1272/2008	Aquatic Acute 1: H400; Aquatic Chronic 1: H410 - Warning	
CAS: 101-86-0 EC: 202-983-3 Index: Not relevant REACH: Not relevant	Hexyl cinnam-aldehyde ⁽¹⁾ Self-classified		<0.3%
	Regulation 1272/2008	Aquatic Acute 1: H400; Aquatic Chronic 2: H411; Skin Sens. 1B: H317 - Warning	
CAS: 67634-00-8 EC: 266-803-5 Index: Not relevant REACH: 01-2120795456-39-XXXX	Allyl (3-methylbutoxy)acetate ⁽¹⁾ Self-classified		<0.3%
	Regulation 1272/2008	Acute Tox. 2: H330; Acute Tox. 4: H302; Aquatic Acute 1: H400; Aquatic Chronic 1: H410 - Danger	
CAS: 2050-08-0 EC: 218-080-2 Index: Not relevant REACH: 01-2120771342-58-XXXX	Pentyl salicylate ⁽¹⁾ Self-classified		<0.3%
	Regulation 1272/2008	Acute Tox. 4: H302; Aquatic Acute 1: H400; Aquatic Chronic 1: H410 - Warning	
CAS: 80-54-6 EC: 201-289-8 Index: 605-041-00-3 REACH: 01-2119907954-30-XXXX	2-(4-tert-Butylbenzyl)propionaldehyde, Lysmeral extra ⁽¹⁾ Self-classified		<0.3%
	Regulation 1272/2008	Acute Tox. 4: H302; Aquatic Chronic 3: H412; Repr. 1B: H360Fd; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Danger	

⁽¹⁾ Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

Acute toxicity estimate for the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or as determined in accordance with Annex I to that Regulation:

Identification	Acute toxicity		Genus
Allyl (3-methylbutoxy)acetate CAS: 67634-00-8 EC: 266-803-5	LD50 oral	500 mg/kg	
	LD50 dermal	Not relevant	
	LC50 inhalation vapour	1,867 mg/L *	
Pentyl salicylate CAS: 2050-08-0 EC: 218-080-2	LD50 oral	2000 mg/kg	
	LD50 dermal	Not relevant	
	LC50 inhalation vapour	Not relevant	
2-(4-tert-Butylbenzyl)propionaldehyde, Lysmeral extra CAS: 80-54-6 EC: 201-289-8	LD50 oral	1390 mg/kg	
	LD50 dermal	Not relevant	
	LC50 inhalation vapour	Not relevant	

*Equivalent ATE value of the substance applicable to the exposure route of the product. For the ATE value associated with the exposure route of the substance, see section 11.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

- CONTINUED ON NEXT PAGE -

SECTION 4: FIRST AID MEASURES (continued)

This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

By skin contact:

This product is not classified as hazardous when in contact with the skin. However, in case of skin contact it is recommended to remove contaminated clothes and shoes, rinse the skin or if necessary shower the affected person thoroughly with cold water and neutral soap. In case of serious reaction consult a doctor.

By eye contact:

Rinse eyes thoroughly with water for at least 15 minutes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case removal could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS for the product.

By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Not relevant

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Suitable extinguishing media:

Foam extinguisher (AB), Dry Chemical Powder (ABC) Fire Extinguisher, Carbon dioxide extinguisher (BC)

Unsuitable extinguishing media:

Water jet

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EEC.

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Evacuate the area and keep out those without protection. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Above all prevent the formation of any vapour-air flammable mixtures, through either ventilation or the use of an inert medium. Remove any source of ignition. Eliminate electrostatic charges by interconnecting all the conductive surfaces on which static electricity could form, and also ensuring that all surfaces are connected to the ground.

For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

6.2 Environmental precautions:

Avoid at all cost any type of spillage into an aqueous medium. Contain the product absorbed appropriately in hermetically sealed containers. Notify the relevant authority in case of exposure to the general public or the environment.

6.3 Methods and material for containment and cleaning up:

It is recommended:

- CONTINUED ON NEXT PAGE -

SECTION 6: ACCIDENTAL RELEASE MEASURES (continued)

Prevent the entrance of product in drains, sewers or watercourses. Absorb the spill using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. Collect the product in appropriate containers and manage it according to current legislation.

Spillages in water or sea:

Small spillages:

Contain spillage using barriers or similar equipment. Use suitable absorbents for collection and treat the waste in accordance with current regulations.

Large spillages:

If possible, contain spillage in open water using barriers or similar equipment. If this is not possible, try to control its spread and collect the product with suitable mechanical means. Always consult experts before using dispersants and make sure you have the necessary approvals if they are to be used. Treat the waste according to current regulations.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Avoid the evaporation of the product as it contains flammable substances, which could form flammable vapour/air mixtures in the presence of sources of ignition. Control sources of ignition (mobile phones, sparks,...) and transfer at slow speeds to avoid the creation of electrostatic charges. Consult section 10 for conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

Due to the danger of this product for the environment it is recommended to use it within an area containing contamination control barriers in case of spillage, as well as having absorbent material in close proximity.

7.2 Conditions for safe storage, including any incompatibilities:

A.- Specific storage requirements

Minimum Temp.: 5 °C

Maximum Temp.: 35 °C

Maximum time: 24 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

There are no applicable occupational exposure limits for the substances contained in the product

DNEL (Workers):

Identification		Short exposure		Long exposure	
		Systemic	Local	Systemic	Local
propan-2-ol CAS: 67-63-0 EC: 200-661-7	Oral	Not relevant	Not relevant	Not relevant	Not relevant
	Dermal	Not relevant	Not relevant	888 mg/kg	Not relevant
	Inhalation	1000 mg/m ³	Not relevant	500 mg/m ³	Not relevant
Linalyl acetate CAS: 115-95-7 EC: 204-116-4	Oral	Not relevant	Not relevant	Not relevant	Not relevant
	Dermal	Not relevant	Not relevant	2,5 mg/kg	Not relevant
	Inhalation	Not relevant	Not relevant	2,75 mg/m ³	Not relevant

- CONTINUED ON NEXT PAGE -

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

Identification		Short exposure		Long exposure	
		Systemic	Local	Systemic	Local
Linalool CAS: 78-70-6 EC: 201-134-4	Oral	Not relevant	Not relevant	Not relevant	Not relevant
	Dermal	Not relevant	Not relevant	3,5 mg/kg	Not relevant
	Inhalation	Not relevant	Not relevant	24,58 mg/m ³	Not relevant
Orange, sweet, ext. CAS: 8028-48-6 EC: 232-433-8	Oral	Not relevant	Not relevant	Not relevant	Not relevant
	Dermal	Not relevant	Not relevant	8,89 mg/kg	Not relevant
	Inhalation	Not relevant	Not relevant	31,1 mg/m ³	Not relevant
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran CAS: 1222-05-5 EC: 214-946-9	Oral	Not relevant	Not relevant	Not relevant	Not relevant
	Dermal	Not relevant	Not relevant	36,7 mg/kg	Not relevant
	Inhalation	Not relevant	Not relevant	13,5 mg/m ³	Not relevant
Allyl (3-methylbutoxy)acetate CAS: 67634-00-8 EC: 266-803-5	Oral	Not relevant	Not relevant	Not relevant	Not relevant
	Dermal	Not relevant	Not relevant	1,4 mg/kg	Not relevant
	Inhalation	Not relevant	Not relevant	4,93 mg/m ³	Not relevant
Pentyl salicylate CAS: 2050-08-0 EC: 218-080-2	Oral	Not relevant	Not relevant	Not relevant	Not relevant
	Dermal	Not relevant	Not relevant	0,9 mg/kg	Not relevant
	Inhalation	Not relevant	Not relevant	3,17 mg/m ³	Not relevant
2-(4-tert-Butylbenzyl)propionaldehyde, Lysmeral extra CAS: 80-54-6 EC: 201-289-8	Oral	Not relevant	Not relevant	Not relevant	Not relevant
	Dermal	Not relevant	Not relevant	1,79 mg/kg	Not relevant
	Inhalation	Not relevant	Not relevant	0,44 mg/m ³	Not relevant

DNEL (General population):

Identification		Short exposure		Long exposure	
		Systemic	Local	Systemic	Local
propan-2-ol CAS: 67-63-0 EC: 200-661-7	Oral	51 mg/kg	Not relevant	26 mg/kg	Not relevant
	Dermal	Not relevant	Not relevant	319 mg/kg	Not relevant
	Inhalation	178 mg/m ³	Not relevant	114 mg/m ³	Not relevant
Linalyl acetate CAS: 115-95-7 EC: 204-116-4	Oral	Not relevant	Not relevant	0,2 mg/kg	Not relevant
	Dermal	Not relevant	Not relevant	1,25 mg/kg	Not relevant
	Inhalation	Not relevant	Not relevant	0,68 mg/m ³	Not relevant
Linalool CAS: 78-70-6 EC: 201-134-4	Oral	Not relevant	Not relevant	2,49 mg/kg	Not relevant
	Dermal	Not relevant	Not relevant	1,25 mg/kg	Not relevant
	Inhalation	Not relevant	Not relevant	4,33 mg/m ³	Not relevant
Orange, sweet, ext. CAS: 8028-48-6 EC: 232-433-8	Oral	Not relevant	Not relevant	4,44 mg/kg	Not relevant
	Dermal	Not relevant	Not relevant	4,44 mg/kg	Not relevant
	Inhalation	Not relevant	Not relevant	7,78 mg/m ³	Not relevant
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran CAS: 1222-05-5 EC: 214-946-9	Oral	Not relevant	Not relevant	2,3 mg/kg	Not relevant
	Dermal	Not relevant	Not relevant	22 mg/kg	Not relevant
	Inhalation	Not relevant	Not relevant	4 mg/m ³	Not relevant
Allyl (3-methylbutoxy)acetate CAS: 67634-00-8 EC: 266-803-5	Oral	Not relevant	Not relevant	0,5 mg/kg	Not relevant
	Dermal	Not relevant	Not relevant	0,5 mg/kg	Not relevant
	Inhalation	Not relevant	Not relevant	0,87 mg/m ³	Not relevant
Pentyl salicylate CAS: 2050-08-0 EC: 218-080-2	Oral	Not relevant	Not relevant	0,45 mg/kg	Not relevant
	Dermal	Not relevant	Not relevant	0,45 mg/kg	Not relevant
	Inhalation	Not relevant	Not relevant	0,78 mg/m ³	Not relevant
2-(4-tert-Butylbenzyl)propionaldehyde, Lysmeral extra CAS: 80-54-6 EC: 201-289-8	Oral	Not relevant	Not relevant	0,062 mg/kg	Not relevant
	Dermal	Not relevant	Not relevant	0,89 mg/kg	Not relevant
	Inhalation	Not relevant	Not relevant	0,11 mg/m ³	Not relevant

PNEC:

Identification					
propan-2-ol CAS: 67-63-0 EC: 200-661-7	STP	2251 mg/L	Fresh water	140,9 mg/L	
	Soil	28 mg/kg	Marine water	140,9 mg/L	
	Intermittent	140,9 mg/L	Sediment (Fresh water)	552 mg/kg	
	Oral	0,16 g/kg	Sediment (Marine water)	552 mg/kg	

- CONTINUED ON NEXT PAGE -

Laguna

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

Identification				
Linalyl acetate CAS: 115-95-7 EC: 204-116-4	STP	1 mg/L	Fresh water	0,011 mg/L
	Soil	0,115 mg/kg	Marine water	0,001 mg/L
	Intermittent	0,11 mg/L	Sediment (Fresh water)	0,609 mg/kg
	Oral	Not relevant	Sediment (Marine water)	0,061 mg/kg
Linalool CAS: 78-70-6 EC: 201-134-4	STP	10 mg/L	Fresh water	0,2 mg/L
	Soil	0,327 mg/kg	Marine water	0,02 mg/L
	Intermittent	2 mg/L	Sediment (Fresh water)	2,22 mg/kg
	Oral	0,0078 g/kg	Sediment (Marine water)	0,222 mg/kg
Orange, sweet, ext. CAS: 8028-48-6 EC: 232-433-8	STP	2,1 mg/L	Fresh water	0,0054 mg/L
	Soil	0,261 mg/kg	Marine water	0,00054 mg/L
	Intermittent	0,00577 mg/L	Sediment (Fresh water)	1,3 mg/kg
	Oral	Not relevant	Sediment (Marine water)	0,13 mg/kg
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran CAS: 1222-05-5 EC: 214-946-9	STP	1 mg/L	Fresh water	0,0068 mg/L
	Soil	1,5 mg/kg	Marine water	0,00044 mg/L
	Intermittent	Not relevant	Sediment (Fresh water)	2 mg/kg
	Oral	20,4 g/kg	Sediment (Marine water)	0,394 mg/kg
Allyl (3-methylbutoxy)acetate CAS: 67634-00-8 EC: 266-803-5	STP	Not relevant	Fresh water	0,00077 mg/L
	Soil	0,00133 mg/kg	Marine water	0,000077 mg/L
	Intermittent	0,0077 mg/L	Sediment (Fresh water)	0,00893 mg/kg
	Oral	Not relevant	Sediment (Marine water)	0,000893 mg/kg
Pentyl salicylate CAS: 2050-08-0 EC: 218-080-2	STP	10 mg/L	Fresh water	0,00077 mg/L
	Soil	1,786 mg/kg	Marine water	0,000077 mg/L
	Intermittent	0,0077 mg/L	Sediment (Fresh water)	0,389 mg/kg
	Oral	0,08 g/kg	Sediment (Marine water)	0,039 mg/kg
2-(4-tert-Butylbenzyl)propionaldehyde, Lysmeral extra CAS: 80-54-6 EC: 201-289-8	STP	10 mg/L	Fresh water	0,004 mg/L
	Soil	0,103 mg/kg	Marine water	0 mg/L
	Intermittent	0,024 mg/L	Sediment (Fresh water)	0,528 mg/kg
	Oral	Not relevant	Sediment (Marine water)	0,053 mg/kg

8.2 Exposure controls:



A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection



If the working conditions and/or safety measures adopted do not allow keeping the airborne concentration of the product below the exposure limits (if any) or at acceptable levels (if no exposure limits exist), suitable respiratory protection equipment chosen by a qualified professional should be used.

C.- Specific protection for the hands

Pictogram	PPE	Labelling	CEN Standard	Remarks
 Mandatory hand protection	Chemical protective gloves (Material: Linear low-density polyethylene (LLDPE), Breakthrough time: > 480 min, Thickness: 0.062 mm)		EN ISO 21420:2020	Replace the gloves at any sign of deterioration.

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.



D.- Eye and face protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
 Mandatory face protection	Panoramic glasses against splash/projections.		EN ISO 16321-1:2022 + EN ISO 16321-3:2022 EN ISO 4007:2018	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.

- CONTINUED ON NEXT PAGE -



SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

E.- Body protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
	Work clothing			Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 6529:2013, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994.
	Anti-slip work shoes		EN ISO 20347:2022/A1:2024	Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 20345:2022 y EN 13832-1:2019

F.- Additional emergency measures

It is advised to implement additional emergency equipments in workplaces that are particularly exposed to the product or in situations where risk assessments highlight the necessity of such equipments.

Emergency measure	Standards	Emergency measure	Standards
 Emergency shower	ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011	 Eyewash stations	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011

Environmental exposure controls:

To comply with environmental protection regulations, it is recommended to prevent any spillage of the product and its container. For more detailed information, please refer to subsection 7.1.D.

Volatile organic compounds:

With regard to Directive 2010/75/EU, this product has the following characteristics:

V.O.C. (Supply):	5 % weight
V.O.C. density at 20 °C:	49,29 kg/m ³ (49,29 g/L)
Average carbon number:	7,18
Average molecular weight:	119,9 g/mol

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties:

For complete information see the product datasheet.

Appearance:

Physical state at 20 °C:	Liquid
Appearance:	Fluid
Colour:	Colourless
Odour:	Aromatic
Odour threshold:	Not relevant *

Volatility:

Boiling point at atmospheric pressure:	101 °C
Vapour pressure at 20 °C:	2382 Pa
Vapour pressure at 50 °C:	12532,24 Pa (12,53 kPa)
Evaporation rate at 20 °C:	Not relevant *

Product description:

Density at 20 °C:	985,8 kg/m ³
Relative density at 20 °C:	0,986
Dynamic viscosity at 20 °C:	Not relevant *
Kinematic viscosity at 20 °C:	Not relevant *

*Not relevant due to the nature of the product, not providing information property of its hazards.

- CONTINUED ON NEXT PAGE -

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (continued)

Kinematic viscosity at 40 °C:	Not relevant *
Concentration:	Not relevant *
pH:	6,5 - 7,5
Vapour density at 20 °C:	Not relevant *
Partition coefficient n-octanol/water 20 °C:	Not relevant *
Solubility in water at 20 °C:	Not relevant *
Solubility properties:	Not relevant *
Decomposition temperature:	Not relevant *
Melting point/freezing point:	Not relevant *
Flammability:	
Flash Point:	61 °C
Flammability (solid, gas):	Not relevant *
Autoignition temperature:	225 °C
Lower flammability limit:	Not relevant *
Upper flammability limit:	Not relevant *
Particle characteristics:	
Median equivalent diameter:	Not relevant *

9.2 Other information:

Information with regard to physical hazard classes:

Explosive properties:	Not relevant *
Oxidising properties:	Not relevant *
Corrosive to metals:	Not relevant *
Heat of combustion:	Not relevant *
Aerosols-total percentage (by mass) of flammable components:	Not relevant *

Other safety characteristics:

Surface tension at 20 °C:	Not relevant *
Refraction index:	Not relevant *

*Not relevant due to the nature of the product, not providing information property of its hazards.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7 from Safety Data Sheet.

10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Precaution	Precaution	Not applicable

10.5 Incompatible materials:

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Avoid direct impact	Not applicable	Avoid alkalis or strong bases

10.6 Hazardous decomposition products:

- CONTINUED ON NEXT PAGE -

SECTION 10: STABILITY AND REACTIVITY (continued)

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO₂), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:**

The experimental information related to the toxicological properties of the product itself is not available

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

A- Ingestion (acute effect):

- Acute toxicity: Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
- Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

B- Inhalation (acute effect):

- Acute toxicity : Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.
- Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

C- Contact with the skin and the eyes (acute effect):

- Contact with the skin: Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for skin contact. For more information see section 3.
- Contact with the eyes: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):

- Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.
IARC: propan-2-ol (3: Not classifiable as to its carcinogenicity to humans); Coumarin (3: Not classifiable as to its carcinogenicity to humans)
- Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- Reproductive toxicity: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

E- Sensitizing effects:

- Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
- Skin: Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous with sensitising effects. For more information see section 3.

F- Specific target organ toxicity (STOT) - single exposure:

Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.

G- Specific target organ toxicity (STOT)-repeated exposure:

- Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

H- Aspiration hazard:

Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

Other information:

Not relevant

Specific toxicology information on the substances:

- CONTINUED ON NEXT PAGE -

SECTION 11: TOXICOLOGICAL INFORMATION (continued)

Identification	Acute toxicity		Genus
propan-2-ol CAS: 67-63-0 EC: 200-661-7	LD50 oral	>5840 mg/kg	Rat
	LD50 dermal	>13900 mg/kg	Rabbit
	LC50 inhalation vapour	>25 mg/L (6 h)	Rat
Ethylene oxide - propylene oxide copolymer mono(nonylphenyl) ether CAS: 37251-69-7 EC: 609-376-6	LD50 oral	>2000 mg/kg	
	LD50 dermal	>2000 mg/kg	
	LC50 inhalation vapour	>20 mg/L	
Allyl (3-methylbutoxy)acetate CAS: 67634-00-8 EC: 266-803-5	LD50 oral	500 mg/kg	Rat
	LD50 dermal	>2000 mg/kg	
	LC50 inhalation mist	0,46 mg/L	Rat
Linalyl acetate CAS: 115-95-7 EC: 204-116-4	LD50 oral	14500 mg/kg	Rat
	LD50 dermal	5610 mg/kg	Rabbit
	LC50 inhalation vapour	>20 mg/L	
Linalool CAS: 78-70-6 EC: 201-134-4	LD50 oral	3000 mg/kg	Rat
	LD50 dermal	5610 mg/kg	Rabbit
	LC50 inhalation vapour	>20 mg/L	
Orange, sweet, ext. CAS: 8028-48-6 EC: 232-433-8	LD50 oral	>2000 mg/kg	
	LD50 dermal	>2000 mg/kg	
	LC50 inhalation vapour	>20 mg/L	
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran CAS: 1222-05-5 EC: 214-946-9	LD50 oral	>2000 mg/kg	
	LD50 dermal	>2000 mg/kg	
	LC50 inhalation vapour	>20 mg/L	
Hexyl cinnam-aldehyde CAS: 101-86-0 EC: 202-983-3	LD50 oral	3100 mg/kg	Rat
	LD50 dermal	3000 mg/kg	Rabbit
	LC50 inhalation vapour	>20 mg/L	
Pentyl salicylate CAS: 2050-08-0 EC: 218-080-2	LD50 oral	2000 mg/kg	Rat
	LD50 dermal	>2000 mg/kg	
	LC50 inhalation vapour	>20 mg/L	
2-(4-tert-Butylbenzyl)propionaldehyde, Lysmeral extra CAS: 80-54-6 EC: 201-289-8	LD50 oral	1390 mg/kg	Rat
	LD50 dermal	>2000 mg/kg	
	LC50 inhalation vapour	>20 mg/L	

Acute Toxicity Estimate (ATE mix):

ATE mix		Ingredient(s) of unknown toxicity
Oral	>2000 mg/kg (Calculation method)	0 %
Dermal	>2000 mg/kg (Calculation method)	0 %
LC50 inhalation vapour	1555,52 mg/L (4 h) (Calculation method)	0 %

11.2 Information on other hazards:

Endocrine disrupting properties

Endocrine-disrupting properties: The product does not meet the criteria.

Other information

Not relevant

SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

Harmful to aquatic life with long lasting effects.

12.1 Toxicity:

Acute toxicity:

Identification	Concentration		Species	Genus
Ethylene oxide - propylene oxide copolymer mono(nonylphenyl) ether CAS: 37251-69-7 EC: 609-376-6	LC50	>10 - 100 mg/L (96 h)		Fish
	EC50	>10 - 100 mg/L (48 h)		Crustacean
	EC50	>10 - 100 mg/L (72 h)		Algae

- CONTINUED ON NEXT PAGE -

SECTION 12: ECOLOGICAL INFORMATION (continued)

Identification	Concentration		Species	Genus
propan-2-ol CAS: 67-63-0 EC: 200-661-7	LC50	9640 mg/L (96 h)	Pimephales promelas	Fish
	EC50	10000 mg/L (24 h)	Daphnia magna	Crustacean
	EC50	Not relevant		
Linalyl acetate CAS: 115-95-7 EC: 204-116-4	LC50	11 mg/L (96 h)	Cyprinus carpio	Fish
	EC50	15 mg/L (48 h)	Daphnia magna	Crustacean
	EC50	62 mg/L (72 h)	Desmodesmus subspicatus	Algae
Orange, sweet, ext. CAS: 8028-48-6 EC: 232-433-8	LC50	>10 - 100 mg/L (96 h)		Fish
	EC50	>10 - 100 mg/L (48 h)		Crustacean
	EC50	>10 - 100 mg/L (72 h)		Algae
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran CAS: 1222-05-5 EC: 214-946-9	LC50	0,95 mg/L (96 h)	Oryzias latipes	Fish
	EC50	0,194 mg/L (48 h)	Daphnia magna	Crustacean
	EC50	0,723 mg/L (72 h)	Pseudokirchneriella subcapitata	Algae
Hexyl cinnam-aldehyde CAS: 101-86-0 EC: 202-983-3	LC50	>0.1 - 1 mg/L (96 h)		Fish
	EC50	>0.1 - 1 mg/L (48 h)		Crustacean
	EC50	>0.1 - 1 mg/L (72 h)		Algae
Allyl (3-methylbutoxy)acetate CAS: 67634-00-8 EC: 266-803-5	LC50	0,77 mg/L (96 h)	N/A	Fish
	EC50	5,09 mg/L (48 h)	Daphnia magna	Crustacean
	EC50	2,06 mg/L (72 h)	Pseudokirchneriella subcapitata	Algae
Pentyl salicylate CAS: 2050-08-0 EC: 218-080-2	LC50	>0.1 - 1 mg/L (96 h)		Fish
	EC50	>0.1 - 1 mg/L (48 h)		Crustacean
	EC50	>0.1 - 1 mg/L (72 h)		Algae
2-(4-tert-Butylbenzyl)propionaldehyde, Lysmeral extra CAS: 80-54-6 EC: 201-289-8	LC50	2 mg/L (96 h)	Danio rerio	Fish
	EC50	11 mg/L (48 h)	Daphnia magna	Crustacean
	EC50	29 mg/L (72 h)	Desmodesmus subspicatus	Algae

Chronic toxicity:

Identification	Concentration		Species	Genus
2-(4-tert-Butylbenzyl)propionaldehyde, Lysmeral extra CAS: 80-54-6 EC: 201-289-8	NOEC	0,2 mg/L	Pimephales promelas	Fish
	NOEC	Not relevant		

12.2 Persistence and degradability:

Substance-specific information:

Identification	Degradability		Biodegradability	
propan-2-ol CAS: 67-63-0 EC: 200-661-7	BOD5	1,19 g O2/g	Concentration	100 mg/L
	COD	2,23 g O2/g	Period	14 days
	BOD5/COD	0,53	% Biodegradable	86 %
Linalyl acetate CAS: 115-95-7 EC: 204-116-4	BOD5	Not relevant	Concentration	81 mg/L
	COD	Not relevant	Period	28 days
	BOD5/COD	Not relevant	% Biodegradable	80 %
Linalool CAS: 78-70-6 EC: 201-134-4	BOD5	Not relevant	Concentration	100 mg/L
	COD	Not relevant	Period	28 days
	BOD5/COD	Not relevant	% Biodegradable	90 %
Orange, sweet, ext. CAS: 8028-48-6 EC: 232-433-8	BOD5	Not relevant	Concentration	10 mg/L
	COD	2,52 g O2/g	Period	28 days
	BOD5/COD	Not relevant	% Biodegradable	72 %
Allyl (3-methylbutoxy)acetate CAS: 67634-00-8 EC: 266-803-5	BOD5	Not relevant	Concentration	240 mg/L
	COD	Not relevant	Period	13 days
	BOD5/COD	Not relevant	% Biodegradable	78 %
2-(4-tert-Butylbenzyl)propionaldehyde, Lysmeral extra CAS: 80-54-6 EC: 201-289-8	BOD5	Not relevant	Concentration	20 mg/L
	COD	Not relevant	Period	28 days
	BOD5/COD	Not relevant	% Biodegradable	81 %

12.3 Bioaccumulative potential:

Substance-specific information:

- CONTINUED ON NEXT PAGE -

SECTION 12: ECOLOGICAL INFORMATION (continued)

Identification	Bioaccumulation potential	
propan-2-ol CAS: 67-63-0 EC: 200-661-7	BCF	3
	Pow Log	0.05
	Potential	Low
Linalyl acetate CAS: 115-95-7 EC: 204-116-4	BCF	174
	Pow Log	3.9
	Potential	High
Linalool CAS: 78-70-6 EC: 201-134-4	BCF	
	Pow Log	2.97
	Potential	
Orange, sweet, ext. CAS: 8028-48-6 EC: 232-433-8	BCF	690
	Pow Log	4.38
	Potential	High
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran CAS: 1222-05-5 EC: 214-946-9	BCF	1584
	Pow Log	5.9
	Potential	Very High
Hexyl cinnam-aldehyde CAS: 101-86-0 EC: 202-983-3	BCF	17
	Pow Log	
	Potential	Low
Allyl (3-methylbutoxy)acetate CAS: 67634-00-8 EC: 266-803-5	BCF	
	Pow Log	1.85
	Potential	
2-(4-tert-Butylbenzyl)propionaldehyde, Lysmeral extra CAS: 80-54-6 EC: 201-289-8	BCF	275
	Pow Log	4.2
	Potential	High

12.4 Mobility in soil:

Identification	Absorption/desorption		Volatility	
propan-2-ol CAS: 67-63-0 EC: 200-661-7	Koc	1.5	Henry	8,207E-1 Pa·m ³ /mol
	Conclusion	Very High	Dry soil	Yes
	Surface tension	2,24E-2 N/m (25 °C)	Moist soil	Yes
Linalyl acetate CAS: 115-95-7 EC: 204-116-4	Koc	518	Henry	177 Pa·m ³ /mol
	Conclusion	Low	Dry soil	Yes
	Surface tension	Not relevant	Moist soil	Yes
Orange, sweet, ext. CAS: 8028-48-6 EC: 232-433-8	Koc	2413	Henry	4780 Pa·m ³ /mol
	Conclusion	Immobile	Dry soil	Yes
	Surface tension	Not relevant	Moist soil	Yes
Allyl (3-methylbutoxy)acetate CAS: 67634-00-8 EC: 266-803-5	Koc	80	Henry	Not relevant
	Conclusion	Very High	Dry soil	Not relevant
	Surface tension	Not relevant	Moist soil	Not relevant
2-(4-tert-Butylbenzyl)propionaldehyde, Lysmeral extra CAS: 80-54-6 EC: 201-289-8	Koc	1285	Henry	2,52 Pa·m ³ /mol
	Conclusion	Low	Dry soil	Yes
	Surface tension	Not relevant	Moist soil	Yes

12.5 Results of PBT and vPvB assessment:

Product does not meet PBT/vPvB criteria

12.6 Endocrine disrupting properties:

Endocrine-disrupting properties: The product does not meet the criteria.

12.7 Other adverse effects:

Not described

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

- CONTINUED ON NEXT PAGE -

SECTION 13: DISPOSAL CONSIDERATIONS (continued)

Code	Description	Waste class (Regulation (EU) No 1357/2014)
20 01 29*	detergents containing hazardous substances	Hazardous

Type of waste (Regulation (EU) No 1357/2014):

HP14 Ecotoxic

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-hazardous residue. Waste should not be disposed of to drains. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION

Transport of dangerous goods by land:

With regard to ADR 2025 and RID 2025:

- 14.1 **UN number or ID number:** Not relevant
- 14.2 **UN proper shipping name:** Not relevant
- 14.3 **Transport hazard class(es):** Not relevant
- Labels: Not relevant
- 14.4 **Packing group:** Not relevant
- 14.5 **Environmental hazards:** No
- 14.6 **Special precautions for user**
 - Special regulations: Not relevant
 - Tunnel restriction code: Not relevant
 - Physico-Chemical properties: see section 9
 - Limited quantities: Not relevant
- 14.7 **Maritime transport in bulk according to IMO instruments:** Not relevant

Transport of dangerous goods by sea:

With regard to IMDG 42-24:

- 14.1 **UN number or ID number:** Not relevant
- 14.2 **UN proper shipping name:** Not relevant
- 14.3 **Transport hazard class(es):** Not relevant
- Labels: Not relevant
- 14.4 **Packing group:** Not relevant
- 14.5 **Marine pollutant:** No
- 14.6 **Special precautions for user**
 - Special regulations: Not relevant
 - EmS Codes:
 - Physico-Chemical properties: see section 9
 - Limited quantities: Not relevant
 - Segregation group: Not relevant
- 14.7 **Maritime transport in bulk according to IMO instruments:** Not relevant

Transport of dangerous goods by air:

With regard to IATA/ICAO 2026:

- CONTINUED ON NEXT PAGE -

SECTION 14: TRANSPORT INFORMATION (continued)

14.1 UN number or ID number:	Not relevant
14.2 UN proper shipping name:	Not relevant
14.3 Transport hazard class(es):	Not relevant
Labels:	Not relevant
14.4 Packing group:	Not relevant
14.5 Environmental hazards:	No
14.6 Special precautions for user	
Physico-Chemical properties:	see section 9
14.7 Maritime transport in bulk according to IMO instruments:	Not relevant

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

- Article 95, REGULATION (EU) No 528/2012: *propan-2-ol (67-63-0) - PT: (1, 2, 4); Orange, sweet, ext. (8028-48-6) - PT: (19)*
- Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH):
2-(4-tert-Butylbenzyl)propionaldehyde, Lysmeral extra (80-54-6)
- Regulation (EU) 2019/1021 on persistent organic pollutants: Not relevant
- Regulation (EU) No 2024/590, about substances that deplete the ozone layer: Not relevant
- REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Not relevant
- Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Not relevant

Seveso III:

Not relevant

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc):

Shall not be used in:

- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,
- tricks and jokes,
- games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

The product could be affected by sectorial legislation

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

Not relevant

Texts of the legislative phrases mentioned in section 2:

H412: Harmful to aquatic life with long lasting effects.

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

CLP Regulation (EC) No 1272/2008:

- CONTINUED ON NEXT PAGE -

SECTION 16: OTHER INFORMATION (continued)

Acute Tox. 2: H330 - Fatal if inhaled.
Acute Tox. 4: H302 - Harmful if swallowed.
Aquatic Acute 1: H400 - Very toxic to aquatic life.
Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.
Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.
Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.
Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways.
Eye Irrit. 2: H319 - Causes serious eye irritation.
Flam. Liq. 2: H225 - Highly flammable liquid and vapour.
Flam. Liq. 3: H226 - Flammable liquid and vapour.
Repr. 1B: H360F_d - May damage fertility. Suspected of damaging the unborn child.
Skin Irrit. 2: H315 - Causes skin irritation.
Skin Sens. 1: H317 - May cause an allergic skin reaction.
Skin Sens. 1B: H317 - May cause an allergic skin reaction.
STOT SE 3: H336 - May cause drowsiness or dizziness.

Classification procedure:

Aquatic Chronic 3: Calculation method

Advice related to training:

Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

Principal bibliographical sources:

<http://echa.europa.eu>
<http://eur-lex.europa.eu>

Abbreviations and acronyms:

ADR: European agreement concerning the international carriage of dangerous goods by road
IMDG: International maritime dangerous goods code
IATA: International Air Transport Association
ICAO: International Civil Aviation Organisation
COD: Chemical Oxygen Demand
BOD₅: 5day biochemical oxygen demand
BCF: Bioconcentration factor
LD₅₀: Lethal Dose 50
LC₅₀: Lethal Concentration 50
EC₅₀: Effective concentration 50
LogPOW: Octanolwater partition coefficient
K_{oc}: Partition coefficient of organic carbon
UFI: unique formula identifier
IARC: International Agency for Research on Cancer

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.

- END OF SAFETY DATA SHEET -