This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any countryspecific legislation



Tar Remover



SEC	TION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING
1.1	Product identifier: Tar Remover
	Other means of identification:
	UFI: 77A0-600F-3003-J8FF
1.2	Relevant identified uses of the substance or mixture and uses advised against:
	Relevant uses: Product for cleaning tunnel washers
	Uses advised against: All uses not specified in this section or in section 7.3
1.3	Details of the supplier of the safety data sheet:
	ProElite Sp. z o.o.
	Leśników Polskich 65K 98-100 Łask - Polska
	Phone: 436712375 msds@proelite.pl
	www.proelite.pl
1.4	Emergency telephone number: The correct telephone number for your country
L	
SEC	TION 2: HAZARDS IDENTIFICATION
2.1	Classification of the substance or mixture:
	CLP Regulation (EC) No 1272/2008:
	Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.
	Asp. Tox. 1: Aspiration hazard, Category 1, H304
	Eye Irrit. 2: Eye irritation, Category 2, H319 Skin Irrit. 2: Skin irritation, Category 2, H315
2.2	Label elements:
	CLP Regulation (EC) No 1272/2008:
	Danger
	Hazard statements:
	Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways.
	Eye Irrit. 2: H319 - Causes serious eye irritation. Skin Irrit. 2: H315 - Causes skin irritation.
	Precautionary statements:
	P101: If medical advice is needed, have product container or label at hand.
	P102: Keep out of reach of children. P264: Wash thoroughly after handling.
	P280: Wear protective gloves/protective clothing/eye protection/protective footwear. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to
	do. Continue rinsing.
	P501: Dispose of contents/container according to the separated collection system used in your municipality. Substances that contribute to the classification
	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, <2% aromatics
	UFI: 77A0-600F-3003-J8FF
2.3	Other hazards:
	Product fails to meet PBT/vPvB criteria Endocrine-disrupting properties: The product fails to meet the criteria.
SEC	TION 3: COMPOSITION/INFORMATION ON INGREDIENTS
3.1	Substance:
	Non-applicable
22	Mixture

3.2 Mixture:



Safety data sheet This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any countryspecific legislation

Tar Remover



SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)

Chemical description: Solution based on solvents, mineral oils, glycol-ethers, preservatives and colourants.

Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

	Identification	Chemical name/Classification			
CAS: EC:	Non-applicable 940-726-3	Hydrocarbons, C10-C13	3, n-alkanes, isoalkanes, <2% aromatics ⁽¹⁾	Self-classified	
Index:	Non-applicable 01-2120042087-62- XXXX	Regulation 1272/2008	Asp. Tox. 1: H304; EUH066 - Danger	*	50 - <100 %
CAS: EC:	111-76-2	2-butoxyethanol ⁽¹⁾		ATP ATP15	
Index:	203-905-0 603-014-00-0 :01-2119475108-36- XXXX	Regulation 1272/2008	Acute Tox. 4: H302+H332; Eye Irrit. 2: H319; Skin Irrit. 2: H315 - Warning	$\langle $	10 - <25 %

(1) Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

By skin contact:

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

By eye contact:

Rinse eyes thoroughly with water for at least 15 minutes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case removal could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS for the product.

By ingestion/aspiration:

Request medical assistance immediately, showing the SDS of this product. Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. In the case of loss of consciousness do not administer anything orally unless supervised by a doctor. Rinse out the mouth and throat, as they may have been affected during ingestion. Keep the person affected at rest.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

Unsuitable extinguishing media:

Non-applicable

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.





SECTION 5: FIREFIGHTING MEASURES (continued)

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Evacuate the area and keep out those who do not have protection.

For emergency responders:

See section 8.

6.3

6.2 Environmental precautions:

This product is not classified as hazardous to the environment. Keep product away from drains, surface and ground water.

Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- Precautions for safe manipulation

Comply with the current legislation concerning the prevention of industrial risks. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used.

B.- Technical recommendations for the prevention of fires and explosions

Product is non-flammable under normal conditions of storage, handling and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.

C.- Technical recommendations to prevent ergonomic and toxicological risks

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

7.2 Conditions for safe storage, including any incompatibilities:

- A.- Technical measures for storage
 - Minimum Temp.:5 °CMaximum Temp.:35 °CMaximum time:24 Months
- B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):





SECTION 7: HANDLING AND STORAGE (continued)

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

Directive (EU) 2000/39, Directive 2004/37/EC, Directive (EU) 2006/15, Directive (EU) 2009/161, Directive (EU) 2017/164, Directive (EU) 2019/1831:

Identification	Occupa	ational exposure li	mits
2-butoxyethanol	IOELV (8h)	20 ppm	98 mg/m ³
CAS: 111-76-2 EC: 203-905-0	IOELV (STEL)	50 ppm	246 mg/m ³

DNEL (Workers):

		Short e	xposure	Long ex	kposure
Identification		Systemic	Local	Systemic	Local
2-butoxyethanol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 111-76-2	Dermal	89 mg/kg	Non-applicable	125 mg/kg	Non-applicable
EC: 203-905-0	Inhalation	1091 mg/m ³	246 mg/m ³	98 mg/m³	Non-applicable

DNEL (General population):

		Short e	xposure	Long ex	xposure
Identification		Systemic	Local	Systemic	Local
2-butoxyethanol	Oral	Non-applicable	Non-applicable	6,3 mg/kg	Non-applicable
CAS: 111-76-2	Dermal	89 mg/kg	Non-applicable	75 mg/kg	Non-applicable
EC: 203-905-0	Inhalation	426 mg/m ³	147 mg/m ³	59 mg/m³	Non-applicable

PNEC:

Identification				
2-butoxyethanol	STP	463 mg/L	Fresh water	8,8 mg/L
CAS: 111-76-2	Soil	2,33 mg/kg	Marine water	0,88 mg/L
EC: 203-905-0	Intermittent	26,4 mg/L	Sediment (Fresh water)	34,6 mg/kg
	Oral	0,02 g/kg	Sediment (Marine water)	3,46 mg/kg

8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory hand protection	Protective gloves against minor risks	CATI		Replace gloves in case of any sign of damage. For prolonged periods of exposure to the product for professional users/industrials, we recommend using CE III gloves in line with standards EN 420:2004+ A1:2010 and EN ISO 374-1:2016+A1:2018

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

D.- Ocular and facial protection

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any countryspecific legislation



Tar Remover



Pictogram		PPE	Labelling		CEN Standard		Remarks
Mandatory face protection	spla	nic glasses against sh/projections.		E	EN 166:2002 N ISO 4007:2018		daily and disinfect periodically according nanufacturer's instructions. Use if there is risk of splashing.
E Body protectio	n						
Pictogram		PPE	Labelling		CEN Standard		Remarks
	w	ork clothing	CATI			perio recom	ce before any evidence of deterioration. If ds of prolonged exposure to the product f professional/industrial users CE III is imended, in accordance with the regulation ISO 6529:2013, EN ISO 6530:2005, EN I 13688:2013, EN 464:1994.
	Anti-s	slip work shoes	CAT II	E	N ISO 20347:2012	perio recom	ce before any evidence of deterioration. I ds of prolonged exposure to the product f professional/industrial users CE III is mended, in accordance with the regulatio EN ISO 20345:2012 y EN 13832-1:2007
F Additional eme	ergency mea	asures					
Emergency	measure	Sta	andards		Emergency meas	ure	Standards
Emergency	• shower		SI Z358-1 11, ISO 3864-4:20	11	Eyewash station	IS	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011
Environmental exp	osure cont	rols:					
	e product ar				e environment it is tion see subsectior		mended to avoid environmental

V.O.C. (Supply):	100 % weight
V.O.C. density at 20 ºC:	766,94 kg/m³ (766,94 g/L)
Average carbon number:	11,33
Average molecular weight:	158,03 g/mol

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1	Information on basic physical and chemical pro	perties:	
	For complete information see the product datas	heet.	
	Appearance:		
	Physical state at 20 ºC:	Liquid	
	Appearance:	Fluid	
	Colour:	Colourless	
	Odour:	Characteristic	
	Odour threshold:	Non-applicable *	
	Volatility:		
	Boiling point at atmospheric pressure:	205 ºC	
	Vapour pressure at 20 °C:	27 Pa	
	Vapour pressure at 50 C:	245,62 Pa (0,25 kPa)	
	Evaporation rate at 20 ºC:	Non-applicable *	
	Product description:		
	Density at 20 ºC:	766,9 kg/m³	
	*Not relevant due to the nature of the product, not providing	g information property of its hazards.	
	- (CONTINUED ON NEXT PAGE -	





SEC	TION 9: PHYSICAL AND CHEMICAL PROPER	RTIES (continued)
	Relative density at 20 °C:	0,767
	Dynamic viscosity at 20 ºC:	1,76 cP
	Kinematic viscosity at 20 °C:	2,3 mm²/s
	Kinematic viscosity at 40 °C:	<20,5 mm²/s
	Concentration:	Non-applicable *
	pH:	Non-applicable *
	Vapour density at 20 ºC:	Non-applicable *
	Partition coefficient n-octanol/water 20 ºC:	Non-applicable *
	Solubility in water at 20 ºC:	Non-applicable *
	Solubility properties:	Solvent miscible
	Decomposition temperature:	Non-applicable *
	Melting point/freezing point:	Non-applicable *
	Flammability:	
	Flash Point:	62 ºC
	Flammability (solid, gas):	Non-applicable *
	Autoignition temperature:	212 ºC
	Lower flammability limit:	Non-applicable *
	Upper flammability limit:	Non-applicable *
	Particle characteristics:	
	Median equivalent diameter:	Non-applicable
9.2	Other information:	
	Information with regard to physical hazard classes:	
	Explosive properties:	Non-applicable *
	Oxidising properties:	Non-applicable *
	Corrosive to metals:	Non-applicable *
	Heat of combustion:	Non-applicable *
	Aerosols-total percentage (by mass) of flammable components: Other safety characteristics:	Non-applicable *
	Surface tension at 20 °C:	Non-applicable *
	Refraction index:	Non-applicable *
	*Not relevant due to the nature of the product, not providing inform	nation property of its hazards.

*Not relevant due to the nature of the product, not providing information property of its hazards.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

10.2 Chemical stability:

Chemically stable under the conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

	Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
10.5	Incompatible materials:				

Acids Water Oxidising materials Combustible materials Others - CONTINUED ON NEXT PAGE

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-

specific legislation



Tar Remover

SECTION 10: STABILITY AND REACTIVITY (continued)					
	Avoid strong acids	Not applicable	Not applicable	Not applicable	Avoid alkalis or strong bases

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO2), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available

Contains glycols. It is recommended not to breathe the vapours for prolonged periods of time due to the possibility of effects that are hazardous to the health .

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

- A- Ingestion (acute effect):
 - Acute toxicity : Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
 - Corrosivity/Irritability: The consumption of a considerable dose can cause irritation in the throat, abdominal pain, nausea and vomiting.
- B- Inhalation (acute effect):

- Acute toxicity : Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous for inhalation. For more information see section 3.

- Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):
 - Contact with the skin: Produces skin inflammation.
 - Contact with the eyes: Produces eye damage after contact.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
 - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for the effects mentioned. For more information see section 3.
 - IARC: 2-butoxyethanol (3)
 - Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
 - Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- E- Sensitizing effects:
 - Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous with sensitising effects. For more information see section 3.
 - Cutaneous: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- F- Specific target organ toxicity (STOT) single exposure:

Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

- G- Specific target organ toxicity (STOT)-repeated exposure:
 - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
 - Skin: Based on available data, the classification criteria are not met. However, it does contain substances which are
 - classified as dangerous due to repetitive exposure. For more information see section 3.
- H- Aspiration hazard:

The consumption of a considerable dose can cause pulmonary damage.

Other information:

Non-applicable



SECTION 11: TOXICOLOGICAL INFORMATION (continued)

Specific toxicology information on the substances:

Identification	A	Acute toxicity		
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, <2% aromatics	LD50 oral	>5000 mg/kg	Rat	
CAS: Non-applicable	LD50 dermal	5500 mg/kg	Rat	
EC: 940-726-3	LC50 inhalation	4951 mg/L (4 h)	Rabbit	
2-butoxyethanol	LD50 oral	1200 mg/kg	Rat	
CAS: 111-76-2	LD50 dermal	3000 mg/kg	Rabbit	
EC: 203-905-0	LC50 inhalation	11 mg/L (ATEi)		

Acute Toxicity Estimate (ATE mix):

	Ingredient(s) of unknown toxicity		
Oral 10810,81 mg/kg (Calculation method)		0 %	
Dermal >2000 mg/kg (Calculation method)		Non-applicable	
Inhalation	99,1 mg/L (4 h) (Calculation method)	0 %	

11.2 Information on other hazards:

Endocrine disrupting properties

Endocrine-disrupting properties: The product fails to meet the criteria.

Other information

Non-applicable

SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

12.1 Toxicity:

Acute toxicity:

Concentration		Species	Genus
LC50	1000 mg/L (96 h)	Oncorhynchus mykiss	Fish
EC50	1000 mg/L (48 h)	Daphnia magna	Crustacean
EC50	1000 mg/L (72 h)	Pseudokirchneriella subcapitata	Algae
LC50	1490 mg/L (96 h)	Lepomis macrochirus	Fish
EC50	1815 mg/L (48 h)	Daphnia magna	Crustacean
EC50	911 mg/L (72 h)	Pseudokirchneriella subcapitata	Algae
	EC50 EC50 LC50 EC50	LC50 1000 mg/L (96 h) EC50 1000 mg/L (48 h) EC50 1000 mg/L (72 h) LC50 1490 mg/L (96 h) EC50 1815 mg/L (48 h)	LC501000 mg/L (96 h)Oncorhynchus mykissEC501000 mg/L (48 h)Daphnia magnaEC501000 mg/L (72 h)Pseudokirchneriella subcapitataLC501490 mg/L (96 h)Lepomis macrochirusEC501815 mg/L (48 h)Daphnia magna



Safety data sheet This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any countryspecific legislation



Tar Remover

SEC	TION 12: ECOLOGICAL INFORMATION	(conti	nued)							
	Identification	Identification			Concentration				Genus	
	2-butoxyethanol		NOEC	100 mg/L	0 mg/L		Danio rerio		Fish	
	CAS: 111-76-2 EC: 203-905-0		NOEC	100 mg/L		Daphnia magna			Crustacear	
2.2	Persistence and degradability:									
	Identification		De	gradability	adability Biodegradability					
	2-butoxyethanol	BOD	5	0,71 g O2/g	Con	centration		100 m	g/L	
	CAS: 111-76-2	COD		2,2 g O2/g	Perio	bd		14 day	14 days	
	EC: 203-905-0	BOD	5/COD	0,32	% Bi	% Biodegradable		96 %		
2.3	Bioaccumulative potential:									
	Identificatio	n				Bioaccumulation potential				
	2-butoxyethanol	toxyethanol			BCF		CF 3			
	CAS: 111-76-2					Pow Log 0.83				
	EC: 203-905-0				Po	Potential Low				
2.4	Mobility in soil:									
	Identification		Absorption/desorption			Volatili		tility	ility	
	2-butoxyethanol	Koc		8		Henry		1,621	E-1 Pa·m³/mol	
	CAS: 111-76-2	S-2 Conclusion Very High			Dry soil		No			
	EC: 203-905-0	Surfa	Surface tension 2,729E-2 N/m (25 9		°C)	ºC) Moist soil		Yes		
2.5	Results of PBT and vPvB assessment:									
	Product fails to meet PBT/vPvB criteria									
2.6	Endocrine disrupting properties:									
Endocrine-disrupting properties: The product fails to meet the criteria.										
2.7	Other adverse effects:									

Not described

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)	
20 01 29*	detergents containing hazardous substances	Dangerous	

Type of waste (Regulation (EU) No 1357/2014):

HP5 Specific Target Organ Toxicity (STOT)/Aspiration Toxicity, HP4 Irritant - skin irritation and eye damage

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. We do not recommended disposal down the drain. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION

Transport of dangerous goods by land:

With regard to ADR 2021 and RID 2021:



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation



Tar Remover

SECTION 14:	TRANSPORT INFORMATIO	N (continued)
14.1	UN number or ID number:	Non-applicable
14.2	UN proper shipping name:	Non-applicable
14.3	Transport hazard class(es):	Non-applicable
	Labels:	Non-applicable
14.4	Packing group:	Non-applicable
14.5	Environmental hazards:	No
14.6	Special precautions for user	
	Special regulations:	Non-applicable
	Tunnel restriction code:	Non-applicable
	Physico-Chemical properties:	see section 9
	Limited quantities:	Non-applicable
14.7	Maritime transport in bulk according to IMO instruments:	Non-applicable
Transpor	t of dangerous goods by sea:	
With rega	ard to IMDG 39-18:	
14.1	UN number or ID number:	Non-applicable
14.2	UN proper shipping name:	Non-applicable
14.3	Transport hazard class(es):	Non-applicable
	Labels:	Non-applicable
14.4	Packing group:	Non-applicable
14.5	Marine pollutant:	No
14.6	Special precautions for user	
	Special regulations: EmS Codes:	Non-applicable
	Physico-Chemical properties:	see section 9
	Limited quantities:	Non-applicable
	Segregation group:	Non-applicable
14.7	Maritime transport in bulk according to IMO instruments:	Non-applicable
Transpor	t of dangerous goods by air:	
With rega	ard to IATA/ICAO 2021:	
14.1	UN number or ID number:	Non-applicable
14.2	UN proper shipping name:	Non-applicable
14.3	Transport hazard class(es):	Non-applicable
	Labels:	Non-applicable
14.4	Packing group:	Non-applicable
14.5	Environmental hazards:	No
14.6	Special precautions for user	
	Physico-Chemical properties:	see section 9
14.7	Maritime transport in bulk according to IMO instruments:	Non-applicable

15.1	Safety, health and environmental regulations/legislation specific for the substance or mixture:
	Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable
	Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable
	Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable
	Article 95, REGULATION (EU) No 528/2012: Non-applicable
	REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable
	Regulation (EC) No 648/2004 on detergents:
	In accordance with this regulation the product complies with the following:
	Labelling for contents:

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-

specific legislation



Tar Remover

SECTION 15: REGULATORY INFORMATION (continued) Component Concentration interval Aliphatic hydrocarbons % (w/w) >= 30 Seveso III: Non-applicable Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc): Shall not be used in: -ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays -tricks and jokes, -games for one or more participants, or any article intended to be used as such, even with ornamental aspects. Specific provisions in terms of protecting people or the environment: It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product. Other legislation:

The product could be affected by sectorial legislation

- Regulation (EC) No 1223/2009 of the European Parliament and of the Council of 30 November 2009 on cosmetic products
- Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents
- Commission Regulation (EC) No 907/2006 of 20 June 2006 amending Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents, in order to adapt Annexes III and VII
- Commission Regulation (EC) No 551/2009 of 25 June 2009 amending Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents, in order to adapt Annexes V and VI thereto (surfactant derogation)

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

COMMISSION REGULATION (EU) 2020/878

Texts of the legislative phrases mentioned in section 2:

H315: Causes skin irritation.

H304: May be fatal if swallowed and enters airways.

H319: Causes serious eye irritation.

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

CLP Regulation (EC) No 1272/2008:

Acute Tox. 4: H302+H332 - Harmful if swallowed or if inhaled. Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways. Eye Irrit. 2: H319 - Causes serious eye irritation. Skin Irrit. 2: H315 - Causes skin irritation.

Classification procedure:

Skin Irrit. 2: Calculation method Asp. Tox. 1: Calculation method Eye Irrit. 2: Calculation method

Advice related to training:

Minimal training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

Principal bibliographical sources:

http://echa.europa.eu

http://eur-lex.europa.eu

Abbreviations and acronyms:

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any countryspecific legislation





Tar Remover

SECTION 16: OTHER INFORMATION (continued)

ADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration 50 LogPOW: Octanolwater partition coefficient Koc: Partition coefficient of organic carbon UFI: unique formula identifier IARC: International Agency for Research on Cancer

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified. - END OF SAFETY DATA SHEET -