Safety data sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any countryspecific legislation



## X-Active+



## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING 1.1 Product identifier: X-Active+ Other means of identification: UEL NRM0-C0MH-3001-Y54M 1.2 Relevant identified uses of the substance or mixture and uses advised against: Relevant uses: Washing of vehicles. Uses advised against: All uses not specified in this section or in section 7.3 1.3 Details of the supplier of the safety data sheet: ProElite Sp. z o.o. Leśników Polskich 65K 98-100 Łask - Polska Phone: 436712375 msds@proelite.pl www.proelite.pl 1.4 Emergency telephone number: SECTION 2: HAZARDS IDENTIFICATION 2.1 Classification of the substance or mixture: CLP Regulation (EC) No 1272/2008: Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008. Eye Irrit. 2: Eye irritation, Category 2, H319 2.2 Label elements: CLP Regulation (EC) No 1272/2008: Warning Hazard statements: Eye Irrit. 2: H319 - Causes serious eye irritation. Precautionary statements: P101: If medical advice is needed, have product container or label at hand. P102: Keep out of reach of children. P264: Wash thoroughly after handling P280: Wear protective gloves/protective clothing/eye protection/protective footwear. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P501: Dispose of contents/container according to the separated collection system used in your municipality. Additional Labelling: Do not use in paint spraying equipment NRM0-C0MH-3001-Y54M UFI: 2.3 Other hazards: Product fails to meet PBT/vPvB criteria Endocrine-disrupting properties: The product fails to meet the criteria. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

## 3.1 Substance:

Non-applicable

### 3.2 Mixture:

Chemical description: Mixture composed of anionic and non-ionic surfactants

### Components:



## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)

#### In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

	Identification		Chemical name/Classification	Concentration
CAS:	5131-66-8 225-878-4	3-butoxypropan-2-ol <sup>(1)</sup>	Self-classified	
EC: Index: REACH	603-052-00-8 : 01-2119475527-28- XXXX	Regulation 1272/2008	Eye Irrit. 2: H319; Flam. Liq. 3: H226 - Warning	10 - <25 %
CAS:	112-34-5	2-(2-butoxyethoxy)etha	nol <sup>(1)</sup> ATP CLP00	
EC: Index: REACH	203-961-6 603-096-00-8 : 01-2119475104-44- XXXX	Regulation 1272/2008	Eye Irrit. 2: H319 - Warning	10 - <25 %

<sup>(1)</sup> Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

#### Other information:

Identification	Specific concentration limit
3-butoxypropan-2-ol CAS: 5131-66-8 EC: 225-878-4	% (w/w) >=20: Eye Irrit. 2 - H319

## SECTION 4: FIRST AID MEASURES

#### 4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

## By inhalation:

This product does not contain substances classified as hazardous for inhalation, however, in case of symptoms of intoxication remove the person affected from the exposure area and provide with fresh air. Seek medical attention if the symptoms get worse or persist.

#### By skin contact:

In case of contact it is recommended to clean the affected area thoroughly with water and neutral soap. In case of changes to the skin (stinging, redness, rashes, blisters,...), seek medical advice with this Safety Data Sheet

#### By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

#### By ingestion/aspiration:

In case of consumption, seek immediate medical assistance showing the SDS for the product.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

#### 4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

## SECTION 5: FIREFIGHTING MEASURES

## 5.1 Extinguishing media:

#### Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, manipulation and use, but the product contains flammable substances. In the case of inflammation as a result of improper manipulation, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

## Unsuitable extinguishing media:

IT IS RECOMMENDED NOT to use full jet water as an extinguishing agent.

#### 5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.







## SECTION 5: FIREFIGHTING MEASURES (continued)

#### 5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

## Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures:

#### For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Evacuate the area and keep out those without protection. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Above all prevent the formation of any vapour-air flammable mixtures, through either ventilation or the use of an inert medium. Remove any source of ignition. Eliminate electrostatic charges by interconnecting all the conductive surfaces on which static electricity could form, and also ensuring that all surfaces are connected to the ground.

#### For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

#### 6.2 Environmental precautions:

This product is not classified as hazardous to the environment. Keep product away from drains, surface and ground water.

#### 6.3 Methods and material for containment and cleaning up:

#### It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

#### 6.4 Reference to other sections:

See sections 8 and 13.

## SECTION 7: HANDLING AND STORAGE

#### 7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Avoid the evaporation of the product as it contains flammable substances, which could form flammable vapour/air mixtures in the presence of sources of ignition. Control sources of ignition (mobile phones, sparks,...) and transfer at slow speeds to avoid the creation of electrostatic charges. Consult section 10 for conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

#### 7.2 Conditions for safe storage, including any incompatibilities:

۹	Technical measures for storage				
	Minimum Temp.:	5 ºC			
	Maximum Temp.:	35 ºC			
	Maximum time:	24 Months			

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

#### 7.3 Specific end use(s):





## SECTION 7: HANDLING AND STORAGE (continued)

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

Directive (EU) 2000/39, Directive 2004/37/EC, Directive (EU) 2006/15, Directive (EU) 2009/161, Directive (EU) 2017/164, Directive (EU) 2019/1831:

Identification	Occupa	ational exposure li	mits
2-(2-butoxyethoxy)ethanol	IOELV (8h)	10 ppm	67,5 mg/m <sup>3</sup>
CAS: 112-34-5 EC: 203-961-6	IOELV (STEL)	15 ppm	101,2 mg/m <sup>3</sup>

#### DNEL (Workers):

		Short e	xposure	Long e	xposure
Identification		Systemic	Local	Systemic	Local
3-butoxypropan-2-ol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 5131-66-8	Dermal	Non-applicable	Non-applicable	52 mg/kg	Non-applicable
EC: 225-878-4	Inhalation	Non-applicable	Non-applicable	147 mg/m <sup>3</sup>	Non-applicable
2-(2-butoxyethoxy)ethanol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 112-34-5	Dermal	Non-applicable	Non-applicable	83 mg/kg	Non-applicable
EC: 203-961-6	Inhalation	Non-applicable	101,2 mg/m <sup>3</sup>	67,5 mg/m³	67,5 mg/m³

#### DNEL (General population):

		Short e	xposure	Long e	xposure
Identification		Systemic	Local	Systemic	Local
3-butoxypropan-2-ol	Oral	Non-applicable	Non-applicable	12,5 mg/kg	Non-applicable
CAS: 5131-66-8	Dermal	Non-applicable	Non-applicable	22 mg/kg	Non-applicable
EC: 225-878-4	Inhalation	Non-applicable	Non-applicable	43 mg/m <sup>3</sup>	Non-applicable
2-(2-butoxyethoxy)ethanol	Oral	Non-applicable	Non-applicable	5 mg/kg	Non-applicable
CAS: 112-34-5	Dermal	Non-applicable	Non-applicable	50 mg/kg	Non-applicable
EC: 203-961-6	Inhalation	Non-applicable	60,7 mg/m <sup>3</sup>	40,5 mg/m³	40,5 mg/m <sup>3</sup>

## PNEC:

Identification				
3-butoxypropan-2-ol	STP	10 mg/L	Fresh water	0,525 mg/L
CAS: 5131-66-8	Soil	0,16 mg/kg	Marine water	0,052 mg/L
EC: 225-878-4	Intermittent	5,25 mg/L	Sediment (Fresh water)	2,36 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,236 mg/kg
2-(2-butoxyethoxy)ethanol	STP	200 mg/L	Fresh water	1,1 mg/L
CAS: 112-34-5	Soil	0,32 mg/kg	Marine water	0,11 mg/L
EC: 203-961-6	Intermittent	11 mg/L	Sediment (Fresh water)	4,4 mg/kg
	Oral	0,056 g/kg	Sediment (Marine water)	0,44 mg/kg

## 8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

## B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands

Safety data sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any countryspecific legislation



## X-Active+



Pictogram         PPE         Labelling         CEN Standard         Repice operation of any sign of damage F.           Waterdamy lead         Protective gloves against minor risks         CEN Standard         Repice operation to the product of protesprint distributions, we recommend using CEI II gloves in line with standards EN ISO 374-12016+A12018           As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.         D.           D. Eye and face protection         Percegram         PPE         Labelling         CEN Standard         Remarks           Material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.         C.         E.         E.         E.         E.         Bodd standard         Remarks           Material can all can be calculated in advance with total reliability and disinfect periodically according to the manufacture's instructions. Use if there is a risk of splashing.         E.         E.         Bodd protection           E Body protection         Work clothing         CEN Standard         Remarks         Cen dialy and disinfect periodically according to the manufacture's in EN 05 6230-0205, EN 163 (EAT 11)         Replace before any weideree of deterioration. Fo professional/inductan Learne CEI 118 (ECAT 11)         Replace before any weideree of deterioration. Fo professional/inductan Learne CEI 118 (ECAT 11)         Replace before any wei	ECTION 8:	EXPOSUR	E CON	TROLS/PERS	SONAL PRO	TECTION	(continued	l)	
Image: Notice of the product for minor risks       Image: Notice of the product for minor risks       Image: Notice of the product for minor risks         As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with elability and has therefore to be checked prior to the application.       Description of the application of the application.         J. 2010 and ENIS 374-12016-A12018       Image: Notice of the application.       Description of the application.         J. 2010 and ENIS 374-12016-A12018       Image: Notice of the application.       Description of the application.         J. 2010 and Enis Distribution of the product of the application.       Description of the application.       Description of the application.         J. 2010 and Enis Distribution of the product of the application.       Description of the application.       Description of the application.       Description of the application.         J. 2010 and Enis Distribution of the product of the application.       Description of the appl		Pictogram		PPE	Labelling	CEN	Standard		Remarks
total reliability and has therefore to be checked prior to the application.         Decogram PPE Labelling CEN Standard Remarks         Penoramic glasses against Science         Science         En Body protection         E. Body protection         Decogram PPE Labelling CEN Standard Remarks         CEN Body protection         Decogram PPE Labelling CEN Standard Remarks         Penoramic glasses against         Openoramic glasses against         Science         E. Body protection         PPE Labelling CEN Standard Remarks         Work clothing         Vortice CEN Standard         Neglace before any evidence of deterioration. For professional/industrial users CEI II is recommended, in accordance with the regulation in EN ISO 6529 2013, EN ISO 6529 2013, EN ISO 6539 2005, EN ISO 13682-2013, EN ISO 6539 2005, EN ISO 13682-2013, EN ISO 6529 2013, E		protection	n	ninor risks	CATI			prolo profess CE III A1	nged periods of exposure to the product for sional users/industrials, we recommend usin gloves in line with standards EN 420:2004+ :2010 and EN ISO 374-1:2016+A1:2018
D. Eye and face protection         Pictogram       PPE       Labelling       CEN Standard       Remarks         With the pice of determine the pice of pice								erial car	n not be calculated in advance with
Pictogram         PPE         Labelling         CEN Standard         Remarks           Windowski (Composition)         Composition         Composition         Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.           E. Body protection         En 166.2002         EN 166.2002         Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.           Pictogram         PPE         Labelling         CEN Standard         Resplace before any evidence of deterioration. Fo professional/industrial users CE III is recommended, in accordance with the regulation in EN ISO 5532-2013, EN 456: 1994. If the regulation is EN ISO 20347:2012           Replace before any evidence of deterioration. Fo periods of profonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulation. Fo periods of profonged exposure to the product for the professition in EN ISO 2045:2012 y EN 13832-12007 <td< td=""><td></td><td>-</td><td></td><td>refore to be chec</td><td>cked prior to the</td><td>e application</td><td></td><td></td><td></td></td<>		-		refore to be chec	cked prior to the	e application			
Image: Second				PPF	Labelling	CEN	Standard		Remarks
Pictogram         PPE         Labelling         CEN Standard         Remarks           Work clothing         Image: Center of the product for periods of prolonged exposure to the product for periods of prolonged exposure tothe product for periods of prolonged exposure to the product fo	N	andatory face		ic glasses against	CAT II	EN 1	66:2002		a daily and disinfect periodically according to nanufacturer's instructions. Use if there is a
Work clothing       Feplace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulation in ENISO 553/2013, ENISO 503/2013, ENISO 553/2013, ENISO	E Bod	•							
Work clothing       Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulation. In ENISO 552:2013, ENISO 553:2013, ENIS		Pictogram		PPE	Labelling	CEN	Standard		Remarks
Anti-slip work shoes       Image: Control       EN ISO 20347:2012       periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulation: in EN ISO 20345:2012 y EN 13832-1:2007         F Additional emergency measures       Image: Control of the product for professional/industrial users CE III is recommended, in accordance with the regulation: in EN ISO 20345:2012 y EN 13832-1:2007         F Additional emergency measures       Image: Control of the product for professional/industrial users CE III is recommended, in accordance with the regulation: in EN ISO 20345:2012 y EN 13832-1:2007         Environmental exposure controls:       ANSI 2358-1       Iso 3864-4:2011       Image: Control of the product for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D.         Volatile organic compounds:       15 % weight       15 % weight       0.0.C. (Supply):       15 % weight         V.O.C. density at 20 °C:       15 %, weight       0.0.C. density at 20 °C:       15 %, weight       0.0.C. density at 20 °C:       15 %, 154,91 kg/m³ (154,91 g/L).         Average carbon number:       7			W	ork clothing	CATI			perio recom	ds of prolonged exposure to the product for professional/industrial users CE III is mended, in accordance with the regulations ISO 6529:2013, EN ISO 6530:2005, EN ISO
Emergency measure       Standards       Emergency measure       Standards         Image: Description of the standards       Image: Description of the standards       Image: Description of the standards       DiN 12 899         Image: Description of the standards       Image: Description of the standards       Image: Description of the standards       DiN 12 899         Image: Description of the standards       Image: Description of the standards       Image: Description of the standards       DiN 12 899         Image: Description of the standards       Image: Description of the standards       Image: Description of the standards       Din 12 899         Image: Description of the standards       Image: Description of the standards       Image: Description of the standards       Din 12 899         Image: Description of the standards       Image: Description of the standards       Image: Description of the standards       Din 12 899         Image: Description of the standards       Image: Description of the standards       Image: Description of the standards       Din 12 899         Image: Description of the product and its container. For additional information see subsection 7.1.D       Image: Description of the standards       Din 12 890         Volatile organic compounds:       Image: Description of the standards       Din 2 890       Din 2 890       Din 2 890         V.O.C. (Supply):       Image: Description of the standards       Dimage: Des			Anti-s	lip work shoes	CAT II	EN ISO 2	20347:2012	perio recom	ds of prolonged exposure to the product for professional/industrial users CE III is mended, in accordance with the regulations
ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011       Image: Control of the second state	F Add	itional emerge	ency mea	asures					
Image: Discrete control       Discrete control       Discrete control         Environmental exposure controls:       Image: Discrete control       Image: Discr		Emergency mea	asure	St	andards	E	mergency meas	sure	Standards
In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D <b>Volatile organic compounds:</b> With regard to Directive 2010/75/EU, this product has the following characteristics: V.O.C. (Supply): 15 % weight V.O.C. density at 20 °C: 154,91 kg/m³ (154,91 g/L) Average carbon number: 7		Emergency sho	ower				T	ns	
V.O.C. (Supply):15 % weightV.O.C. density at 20 °C:154,91 kg/m³ (154,91 g/L)Average carbon number:7	In accor spillage	dance with th of both the pr	e commu roduct an	unity legislation f					
V.O.C. density at 20 °C:154,91 kg/m³ (154,91 g/L)Average carbon number:7	With reg	gard to Directi	ve 2010/	75/EU, this prod	uct has the foll	owing chara	cteristics:		
Average carbon number: 7	V.0	.C. (Supply):		15 %	weight				
-	V.0	.C. density at	20 ºC:	154,9	1 kg/m³ (154,9	91 g/L)			
Average molecular weight: 132,2 g/mol	Ave	rage carbon n	umber:	7					
		-		132.2	g/mol				
		5	3	)	~				
ECTION 9: PHYSICAL AND CHEMICAL PROPERTIES									

9.1	Information on basic physical and chemical properties:			
	For complete information see the product datasheet.			
	Appearance:			
	Physical state at 20 ºC:	Liquid		
	Appearance:	Fluid		
	Colour:	Green		
	Odour:	Not available		
	*Not relevant due to the nature of the product, not providing information property of its hazards.			





SEC	TION 9: PHYSICAL AND CHEMICAL PROPER	RTIES (continued)
	Odour threshold:	Non-applicable *
	Volatility:	
	Boiling point at atmospheric pressure:	118 ºC
	Vapour pressure at 20 ºC:	2233 Pa
	Vapour pressure at 50 ºC:	11771,96 Pa (11,77 kPa)
	Evaporation rate at 20 ºC:	Non-applicable *
	Product description:	
	Density at 20 ºC:	1032,7 kg/m³
	Relative density at 20 ºC:	1,033
	Dynamic viscosity at 20 ºC:	Non-applicable *
	Kinematic viscosity at 20 ºC:	Non-applicable *
	Kinematic viscosity at 40 °C:	Non-applicable *
	Concentration:	Non-applicable *
	pH:	7 - 8 (at 100 %)
	Vapour density at 20 ºC:	Non-applicable *
	Partition coefficient n-octanol/water 20 ºC:	Non-applicable *
	Solubility in water at 20 ºC:	Non-applicable *
	Solubility properties:	Non-applicable *
	Decomposition temperature:	Non-applicable *
	Melting point/freezing point:	Non-applicable *
	Flammability:	
	Flash Point:	Non Flammable (>60 °C)
	Flammability (solid, gas):	Non-applicable *
	Autoignition temperature:	204 ºC
	Lower flammability limit:	Non-applicable *
	Upper flammability limit:	Non-applicable *
	Particle characteristics:	
	Median equivalent diameter:	Non-applicable
9.2	Other information:	
	Information with regard to physical hazard classes:	
	Explosive properties:	Non-applicable *
	Oxidising properties:	Non-applicable *
	Corrosive to metals:	Non-applicable *
	Heat of combustion:	Non-applicable *
	Aerosols-total percentage (by mass) of flammable components:	Non-applicable *
	Other safety characteristics:	Ner enderde *
	Surface tension at 20 ºC:	Non-applicable *
	Refraction index:	Non-applicable *
	*Not relevant due to the nature of the product, not providing inforr	nation property of its hazards.

# SECTION 10: STABILITY AND REACTIVITY

## 10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

10.2 Chemical stability:

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any countryspecific legislation



## X-Active+



## SECTION 10: STABILITY AND REACTIVITY (continued)

Chemically stable under the indicated conditions of storage, handling and use.

#### 10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

#### 10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Precaution	Precaution	Not applicable

#### 10.5 Incompatible materials:

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Avoid direct impact	Not applicable	Avoid alkalis or strong bases

#### 10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO<sub>2</sub>), carbon monoxide and other organic compounds.

## SECTION 11: TOXICOLOGICAL INFORMATION

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available

Contains glycols. It is recommended not to breathe the vapours for prolonged periods of time due to the possibility of effects that are hazardous to the health .

#### Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

- A- Ingestion (acute effect):
  - Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for consumption. For more information see section 3
  - Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances
  - classified as hazardous for this effect. For more information see section 3.
- B- Inhalation (acute effect):
  - Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for inhalation. For more information see section 3.
  - Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):
  - Contact with the skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for skin contact. For more information see section 3.
  - Contact with the eyes: Produces eye damage after contact.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
  - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.
  - IARC: Non-applicable
  - Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
  - Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- E- Sensitizing effects:
  - Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
  - Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- F- Specific target organ toxicity (STOT) single exposure:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.





## SECTION 11: TOXICOLOGICAL INFORMATION (continued)

G- Specific target organ toxicity (STOT)-repeated exposure:

- Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as
- it does not contain substances classified as hazardous for this effect. For more information see section 3.
- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3. **Other information:** 

# Non-applicable

Specific toxicology information on the substances:

Identification	Acute toxicity		Genus
3-butoxypropan-2-ol	LD50 oral	3300 mg/kg	Rat
CAS: 5131-66-8	LD50 dermal	>2000 mg/kg	
EC: 225-878-4	LC50 inhalation	>20 mg/L	
2-(2-butoxyethoxy)ethanol	LD50 oral	>2000 mg/kg	
CAS: 112-34-5	LD50 dermal	>2000 mg/kg	
EC: 203-961-6	LC50 inhalation	>20 mg/L	

#### Acute Toxicity Estimate (ATE mix):

	Ingredient(s) of unknown toxicity	
Oral	>2000 mg/kg (Calculation method)	Non-applicable
Dermal >2000 mg/kg (Calculation method)		Non-applicable
Inhalation >20 mg/L (4 h) (Calculation method)		Non-applicable

# 11.2 Information on other hazards:

#### Endocrine disrupting properties

Endocrine-disrupting properties: The product fails to meet the criteria.

#### Other information

Non-applicable

## SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

#### 12.1 Toxicity:

## Acute toxicity:

Identification		Concentration	Species	Genus
3-butoxypropan-2-ol	LC50	560 mg/L (96 h)	Poecilia reticulata	Fish
CAS: 5131-66-8	EC50	1436 mg/L (48 h)	Daphnia magna	Crustacean
EC: 225-878-4	EC50	Non-applicable		
2-(2-butoxyethoxy)ethanol	LC50	1300 mg/L (96 h)	Lepomis macrochirus	Fish
CAS: 112-34-5	EC50	2850 mg/L (24 h)	Daphnia magna	Crustacean
EC: 203-961-6	EC50	53 mg/L (192 h)	Microcystis aeruginosa	Algae

#### 12.2 Persistence and degradability:

#### Substance-specific information:

Identification	Degradability		Biodegradability	
3-butoxypropan-2-ol	BOD5	Non-applicable	Concentration	100 mg/L
CAS: 5131-66-8	COD	Non-applicable	Period	28 days
EC: 225-878-4	BOD5/COD	Non-applicable	% Biodegradable	89 %
2-(2-butoxyethoxy)ethanol	BOD5	0,25 g O2/g	Concentration	100 mg/L
CAS: 112-34-5	COD	2,08 g O2/g	Period	28 days
EC: 203-961-6	BOD5/COD	0,12	% Biodegradable	92 %





## SECTION 12: ECOLOGICAL INFORMATION (continued)

#### 12.3 Bioaccumulative potential:

## Substance-specific information:

Identification	Bioaccumulation potential	
3-butoxypropan-2-ol	BCF	1
CAS: 5131-66-8	Pow Log	
EC: 225-878-4	Potential	Low
2-(2-butoxyethoxy)ethanol	BCF	0.46
CAS: 112-34-5	Pow Log	0.56
EC: 203-961-6	Potential	Low

#### 12.4 Mobility in soil:

Identification	Absorption/desorption		Volat	ility
2-(2-butoxyethoxy)ethanol	Кос	48	Henry	7,2E-9 Pa·m³/mol
CAS: 112-34-5	Conclusion	Very High	Dry soil	No
EC: 203-961-6	Surface tension	3,395E-2 N/m (25 ºC)	Moist soil	No

# 12.5 Results of PBT and vPvB assessment:

Product fails to meet PBT/vPvB criteria

#### 12.6 Endocrine disrupting properties:

Endocrine-disrupting properties: The product fails to meet the criteria.

## 12.7 Other adverse effects:

Not described

## SECTION 13: DISPOSAL CONSIDERATIONS

#### 13.1 Waste treatment methods:

#### Type of waste (Regulation (EU) No 1357/2014):

HP4 Irritant - skin irritation and eye damage

#### Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

#### Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated


Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

## SECTION 14: TRANSPORT INFORMATION

#### Transport of dangerous goods by land:

With regard to ADR 2021 and RID 2021:

Safety data sheet





## X-Active+



SECTION 14:	TRANSPORT INFORMATIO	N (continued)
14.1	UN number or ID number:	Non-applicable
14.2	UN proper shipping name:	Non-applicable
14.3	Transport hazard class(es):	Non-applicable
14.0	Labels:	Non-applicable
14.4	Packing group:	Non-applicable
14.5	Environmental hazards:	No
14.6	Special precautions for user	
	Special regulations:	Non-applicable
	Tunnel restriction code:	Non-applicable
	Physico-Chemical properties:	see section 9
	Limited quantities:	Non-applicable
14.7	Maritime transport in bulk according to IMO instruments:	Non-applicable
Transpor	t of dangerous goods by sea:	
With rega	ard to IMDG 40-20:	
14.1	UN number or ID number:	Non-applicable
14.2		Non-applicable
14.3	Transport hazard class(es):	Non-applicable
	Labels:	Non-applicable
14.4	001	Non-applicable
14.5	Marine pollutant:	No
14.6	Special precautions for user	
	Special regulations:	Non-applicable
	EmS Codes:	
	Physico-Chemical properties:	see section 9
	Limited quantities:	Non-applicable
447	Segregation group:	Non-applicable
14.7	Maritime transport in bulk according to IMO instruments:	Non-applicable
Transpor	t of dangerous goods by air:	
With rega	ard to IATA/ICAO 2023:	
14.1	UN number or ID number:	Non-applicable
14.2	UN proper shipping name:	Non-applicable
14.3	Transport hazard class(es):	Non-applicable
	Labels:	Non-applicable
14.4	Packing group:	Non-applicable
14.5	Environmental hazards:	No
14.6	Special precautions for user	
	Physico-Chemical properties:	see section 9
14.7	Maritime transport in bulk according to IMO instruments:	Non-applicable

# SECTION 15: REGULATORY INFORMATION

15.1	Safety, health and environmental regulations/legislation specific for the substance or mixture:
	Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable
	Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable
	Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable
	Article 95, REGULATION (EU) No 528/2012: Non-applicable
	REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable
	Regulation (EC) No 648/2004 on detergents:
	In accordance with this regulation the product complies with the following:



## SECTION 15: REGULATORY INFORMATION (continued)

The tensoactives contained in this mixture comply with the biodegradibility criteria stipulated in Regulation (EC) nº648/2004 on detergents. The information to prove this is available to the relevant authorities of the Member States and will be shown to them by direct request or the request of a detergent manufacturer.

# Labelling for contents:

Component	Concentration interval
Anionic surfactants	% (w/w) < 5
Amphoteric surfactants	% (w/w) < 5
Seveso III:	

#### Non-applicable

#### Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc ....):

Contains more than 3 % of 2-(2-butoxyethoxy)ethanol by weight. 1. Shall not be placed on the market for the first time after 27 June 2010, for supply to the general public, as a constituent of spray paints or spray cleaners in aerosol dispensers in concentrations equal to or greater than 3 % by weight. 2. Spray paints and spray cleaners in aerosol dispensers containing DEGBE and not conforming to paragraph 1 shall not be placed on the market for supply to the general public after 27 December 2010. 3. Without prejudice to other Community legislation concerning the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that paints other than spray paints containing DEGBE in concentrations equal to or greater than 3 % by weight of that are placed on the market for supply to the general public are visibly, legibly and indelibly marked by 27 December 2010 as follows: 'Do not use in paint spraying equipment'. Shall not be used in:

-ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

-tricks and jokes,

-games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

## Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

#### Other legislation:

The product could be affected by sectorial legislation

- Regulation (EC) No 1223/2009 of the European Parliament and of the Council of 30 November 2009 on cosmetic products
- Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents

- Commission Regulation (EC) No 907/2006 of 20 June 2006 amending Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents, in order to adapt Annexes III and VII

- Commission Regulation (EC) No 551/2009 of 25 June 2009 amending Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents, in order to adapt Annexes V and VI thereto (surfactant derogation)

#### 15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

## **SECTION 16: OTHER INFORMATION**

#### Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

Non-applicable

Texts of the legislative phrases mentioned in section 2:

H319: Causes serious eye irritation.

#### Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

#### CLP Regulation (EC) No 1272/2008:

Eye Irrit. 2: H319 - Causes serious eye irritation.

Flam. Liq. 3: H226 - Flammable liquid and vapour.

#### Classification procedure:

Eye Irrit. 2: Calculation method

#### Advice related to training:

Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.





# SECTION 16: OTHER INFORMATION (continued) Principal bibliographical sources: http://echa.europa.eu

http://eur-lex.europa.eu Abbreviations and acronyms: ADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration 50 LogPOW: Octanolwater partition coefficient Koc: Partition coefficient of organic carbon UFI: unique formula identifier IARC: International Agency for Research on Cancer

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.