

APT-A FoamBoost



SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING Product identifier: 1.1 **APT-A FoamBoost** Other means of identification: UEL YHN0-W0U2-U00G-W7D6 1.2 Relevant identified uses of the substance or mixture and uses advised against: Relevant uses: Washing of vehicles.. For professional users/industrial user only. Uses advised against: All uses not specified in this section or in section 7.3 1.3 Details of the supplier of the safety data sheet: ProElite Sp. z o.o. Leśników Polskich 65K 98-100 Łask - Polska Phone: 436712375 msds@proelite.pl www.proelite.pl 1.4 Emergency telephone number: SECTION 2: HAZARDS IDENTIFICATION ** 2.1 Classification of the substance or mixture: CLP Regulation (EC) No 1272/2008: Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008. Eye Irrit. 2: Eye irritation, Category 2, H319 Skin Irrit. 2: Skin irritation, Category 2, H315 Skin Sens. 1A: Sensitisation, skin, Category 1A, H317 2.2 Label elements: CLP Regulation (EC) No 1272/2008: Warning Hazard statements: Eye Irrit. 2: H319 - Causes serious eye irritation. Skin Irrit. 2: H315 - Causes skin irritation. Skin Sens. 1A: H317 - May cause an allergic skin reaction. Precautionary statements: P101: If medical advice is needed, have product container or label at hand. P102: Keep out of reach of children. P280: Wear protective gloves/protective clothing/eye protection/protective footwear. P302+P352: IF ON SKIN: Wash with plenty of water. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P501: Dispose of contents/container according to the separated collection system used in your municipality. Substances that contribute to the classification Isoeugenol

UFI: YHN0-W0U2-U00G-W7D6

2.3 Other hazards:

Product does not meet PBT/vPvB criteria

Endocrine-disrupting properties: The product does not meet the criteria.

* Changes with regards to the previous version

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS **

3.1 Substance:

** Changes with regards to the previous version





SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS ** (continued)

Non-applicable

3.2 Mixture:

Chemical description: Mixture composed of anionic and non-ionic surfactants

Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

| | Identification | | Chemical name/Classification | Concentration | | |
|--|--|---|--|---------------|--|--|
| CAS: EC: | 68439-57-6 931-534-0 | Sulfonic acids, C14-16- | Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts ⁽¹⁾ Self-classified | | | |
| Index: | Non-applicable 01-2119513401-57- XXXX | Regulation 1272/2008 | Eye Dam. 1: H318; Skin Irrit. 2: H315 - Danger | 5 - <10 % | | |
| CAS: | 77-92-9 | Citric Acid ⁽¹⁾ | ATP ATP17 | | | |
| EC: 201-069-1 Index: 607-750-00-3 REACH: 01-2119457026-42- XXXX | | Regulation 1272/2008 | Eye Irrit. 2: H319; STOT SE 3: H335 - Warning | 3 - <5 % | | |
| CAS: | 75-75-2 | methanesulphonic acid | n Self-classified | | | |
| EC: 200-898-6 Index: 607-145-00-4 REACH: 01-21194911 XXXX | 607-145-00-4 01-2119491166-34- | -2119491166-34- Regulation 1272/2008 Acute Tox. 4: H302+H312; Eye Dam. 1: H318; Met. Corr. 1: H290; Skin Co STOT SE 3: H335 - Danger | | 1 - <3 % | | |
| CAS: EC: | 123-92-2 204-662-3 | Isopentyl acetate ⁽²⁾ | Self-classified | | | |
| Index: | 607-130-00-2 01-2119548408-32- XXXX | Regulation 1272/2008 | Aquatic Chronic 3: H412; Flam. Liq. 3: H226; EUH066 - Warning | <1 % | | |
| CAS: | 97-54-1 202-590-7 | Isoeugenol ⁽¹⁾ | ATP ATP13 | | | |
| Index: | 604-094-00-X Non-applicable | Regulation 1272/2008 | Skin Sens. 1A: H317 - Warning | <1 % | | |
| CAS: EC: | 141-78-6 205-500-4 | Ethyl acetate ⁽²⁾ | ATP CLP00 | | | |
| Index: | 205-500-4 607-022-00-5 01-2119475103-46- XXXX | Regulation 1272/2008 | Eye Irrit. 2: H319; Flam. Liq. 2: H225; STOT SE 3: H336; EUH066 - Danger | <1 % | | |

⁽¹⁾ Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878 ⁽²⁾ Substance with a Union workplace exposure limit

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

Other information:

| Identification | Identification Specific concentration limit | | | |
|---|--|----------------|-------|--|
| Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts CAS: 68439-57-6 EC: 931-534-0 | % (w/w) >=5: Skin Irrit. 2 - H315 % (w/w) >=38: Eye Dam. 1 - H318 5<= % (w/w) <38: Eye Irrit. 2 - H319 | | | |
| Isoeugenol CAS: 97-54-1 EC: 202-590-7 | % (w/w) >=0,01: Skin Sens. 1A - H317 | | | |
| Acute toxicity estimate for the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or as determined in accordance with Annex I to that Regulation: | | | | |
| Identification | | Acute toxicity | Genus | |

| methanesulphonic acid | LD50 oral | 1157 mg/kg | Rat |
|-----------------------|-----------------|--------------|--------|
| CAS: 75-75-2 | LD50 dermal | 1000 mg/kg | Rabbit |
| EC: 200-898-6 | LC50 inhalation | Not relevant | |

** Changes with regards to the previous version

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product. By inhalation:

This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

By skin contact:





SECTION 4: FIRST AID MEASURES (continued)

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

By eye contact:

Rinse eyes thoroughly with water for at least 15 minutes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case removal could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS for the product.

By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Not relevant

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, manipulation and use, but the product contains flammable substances. In the case of inflammation as a result of improper manipulation, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

Unsuitable extinguishing media:

IT IS RECOMMENDED NOT to use full jet water as an extinguishing agent.

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Evacuate the area and keep out those without protection. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Above all prevent the formation of any vapour-air flammable mixtures, through either ventilation or the use of an inert medium. Remove any source of ignition. Eliminate electrostatic charges by interconnecting all the conductive surfaces on which static electricity could form, and also ensuring that all surfaces are connected to the ground.

For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

6.2 Environmental precautions:

It is recommended to avoid environmental spillage of both the product and its container.

6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.



APT-A FoamBoost



SECTION 6: ACCIDENTAL RELEASE MEASURES (continued)

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Avoid the evaporation of the product as it contains flammable substances, which could form flammable vapour/air mixtures in the presence of sources of ignition. Control sources of ignition (mobile phones, sparks,...) and transfer at slow speeds to avoid the creation of electrostatic charges. Consult section 10 for conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

7.2 Conditions for safe storage, including any incompatibilities:

A.- Specific storage requirements

Minimum Temp.:5 °CMaximum Temp.:35 °CMaximum time:24 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

Directive (EU) 2000/39, Directive 2004/37/EC, Directive (EU) 2006/15, Directive (EU) 2009/161, Directive (EU) 2017/164, Directive (EU) 2019/1831:

| Identification | Occup | Occupational exposure limits | | |
|-----------------------------|--------------|------------------------------|------------------------|--|
| Isopentyl acetate | IOELV (8h) | 50 ppm | 270 mg/m ³ | |
| CAS: 123-92-2 EC: 204-662-3 | IOELV (STEL) | 100 ppm | 540 mg/m ³ | |
| Ethyl acetate | IOELV (8h) | 200 ppm | 734 mg/m ³ | |
| CAS: 141-78-6 EC: 205-500-4 | IOELV (STEL) | 400 ppm | 1468 mg/m ³ | |

DNEL (Workers):

| | | Short exposure | | Long exposure | |
|---|------------|----------------|--------------|--------------------------|-----------------------|
| Identification | Systemic | Local | Systemic | Local | |
| Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts | Oral | Not relevant | Not relevant | Not relevant | Not relevant |
| CAS: 68439-57-6 | Dermal | Not relevant | Not relevant | 2158,33 mg/kg | Not relevant |
| EC: 931-534-0 | Inhalation | Not relevant | Not relevant | 152,22 mg/m ³ | Not relevant |
| methanesulphonic acid | Oral | Not relevant | Not relevant | Not relevant | Not relevant |
| CAS: 75-75-2 | Dermal | Not relevant | Not relevant | 19,44 mg/kg | Not relevant |
| EC: 200-898-6 | Inhalation | Not relevant | Not relevant | 6,76 mg/m³ | 0,7 mg/m ³ |





SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

| | | Short exposure | | Long exposure | |
|----------------|------------|------------------------|------------------------|-----------------------|-----------------------|
| Identification | | Systemic | Local | Systemic | Local |
| Ethyl acetate | Oral | Not relevant | Not relevant | Not relevant | Not relevant |
| CAS: 141-78-6 | Dermal | Not relevant | Not relevant | 63 mg/kg | Not relevant |
| EC: 205-500-4 | Inhalation | 1468 mg/m ³ | 1468 mg/m ³ | 734 mg/m ³ | 734 mg/m ³ |

DNEL (General population):

| | | Short e | exposure | Long e | xposure |
|---|------------|-----------------------|-----------------------|-------------------------|------------------------|
| Identification | | Systemic | Local | Systemic | Local |
| Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts | Oral | Not relevant | Not relevant | 12,95 mg/kg | Not relevant |
| CAS: 68439-57-6 | Dermal | Not relevant | Not relevant | 1295 mg/kg | Not relevant |
| EC: 931-534-0 | Inhalation | Not relevant | Not relevant | 45,04 mg/m ³ | Not relevant |
| methanesulphonic acid | Oral | Not relevant | Not relevant | 8,33 mg/kg | Not relevant |
| CAS: 75-75-2 | Dermal | Not relevant | Not relevant | 8,33 mg/kg | Not relevant |
| EC: 200-898-6 | Inhalation | Not relevant | Not relevant | 1,44 mg/m ³ | 0,42 mg/m ³ |
| Ethyl acetate | Oral | Not relevant | Not relevant | 4,5 mg/kg | Not relevant |
| CAS: 141-78-6 | Dermal | Not relevant | Not relevant | 37 mg/kg | Not relevant |
| EC: 205-500-4 | Inhalation | 734 mg/m ³ | 734 mg/m ³ | 367 mg/m ³ | 367 mg/m ³ |

PNEC:

| Identification | | | | |
|---|--------------|--------------|-------------------------|-------------|
| Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts | STP | 4 mg/L | Fresh water | 0,024 mg/L |
| CAS: 68439-57-6 | Soil | 1,21 mg/kg | Marine water | 0,002 mg/L |
| EC: 931-534-0 | Intermittent | 0,02 mg/L | Sediment (Fresh water) | 0,767 mg/kg |
| | Oral | Not relevant | Sediment (Marine water) | 0,077 mg/kg |
| Citric Acid | STP | 1000 mg/L | Fresh water | 0,44 mg/L |
| CAS: 77-92-9 | Soil | 33,1 mg/kg | Marine water | 0,044 mg/L |
| EC: 201-069-1 | Intermittent | Not relevant | Sediment (Fresh water) | 34,6 mg/kg |
| | Oral | Not relevant | Sediment (Marine water) | 3,46 mg/kg |
| methanesulphonic acid | STP | 100 mg/L | Fresh water | 0,012 mg/L |
| CAS: 75-75-2 | Soil | 0,002 mg/kg | Marine water | 0,001 mg/L |
| EC: 200-898-6 | Intermittent | 0,12 mg/L | Sediment (Fresh water) | 0,044 mg/kg |
| | Oral | Not relevant | Sediment (Marine water) | 0,004 mg/kg |
| Isopentyl acetate | STP | 30 mg/L | Fresh water | 0,011 mg/L |
| CAS: 123-92-2 | Soil | 0,06 mg/kg | Marine water | 0,001 mg/L |
| EC: 204-662-3 | Intermittent | 0,11 mg/L | Sediment (Fresh water) | 0,335 mg/kg |
| | Oral | Not relevant | Sediment (Marine water) | 0,034 mg/kg |
| Ethyl acetate | STP | 650 mg/L | Fresh water | 0,24 mg/L |
| CAS: 141-78-6 | Soil | 0,148 mg/kg | Marine water | 0,024 mg/L |
| EC: 205-500-4 | Intermittent | 1,65 mg/L | Sediment (Fresh water) | 1,15 mg/kg |
| | Oral | 0,2 g/kg | Sediment (Marine water) | 0,115 mg/kg |

8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands



APT-A FoamBoost



SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

| Pictogram | PPE | Labelling | CEN Standard | Remarks |
|------------------------------|---|-----------|-------------------|--|
| Mandatory hand protection | Chemical protective gloves (Material: Latex (natural rubber), Breakthrough time: > 480 min, Thickness: 0.6 mm) | | EN ISO 21420:2020 | Replace the gloves at any sign of deterioration. |

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

D.- Eye and face protection

| Pictogram | PPE | Labelling | CEN Standard | Remarks |
|------------------------------|---|-----------|---------------------------------|---|
| Mandatory face protection | Panoramic glasses against splash/projections. | CAT II | EN 166:2002 EN ISO 4007:2018 | Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing. |

E.- Body protection

| Pictogram | PPE | Labelling | CEN Standard | Remarks |
|-----------|----------------------|-----------|-------------------|--|
| | Work clothing | CATI | | Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 6529:2013, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994. |
| | Anti-slip work shoes | CAT II | EN ISO 20347:2012 | Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 20345:2012 y EN 13832-1:2007 |

F.- Additional emergency measures

| Emergency measure | Standards | Emergency measure | Standards |
|-------------------|---|-------------------|--|
| * | ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011 | • • | DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011 |
| Emergency shower | | Eyewash stations | |

Environmental exposure controls:

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D

Volatile organic compounds:

With regard to Directive 2010/75/EU, this product has the following characteristics:

| V.O.C. (Supply): | 0,24 % weight |
|---------------------------|---------------------|
| V.O.C. density at 20 ºC: | 2,5 kg/m³ (2,5 g/L) |
| Average carbon number: | 8,39 |
| Average molecular weight: | 129,74 g/mol |

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

| 9.1 | Information on basic physical and chemical properties: | | | | | |
|-----|--|---------------------------------|--|--|--|--|
| | For complete information see the product datasheet. | | | | | |
| | Appearance: | | | | | |
| | Physical state at 20 ºC: | Liquid | | | | |
| | Appearance: | Fluid | | | | |
| | Colour: | Orange | | | | |
| | Odour: | Characteristic | | | | |
| | Odour threshold: Not relevant * | | | | | |
| | *Not relevant due to the nature of the product, not providing inform | nation property of its hazards. | | | | |
| | | | | | | |





SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (continued)

| | volatility: | |
|---|--|---------------------------------|
| | Boiling point at atmospheric pressure: | 100 ºC |
| | Vapour pressure at 20 ºC: | 2349 Pa |
| | Vapour pressure at 50 °C: | 12377,3 Pa (12,38 kPa) |
| | Evaporation rate at 20 ºC: | Not relevant * |
| | Product description: | |
| | Density at 20 ºC: | 1055 kg/m³ |
| | Relative density at 20 ºC: | 1,055 |
| | Dynamic viscosity at 20 ºC: | Not relevant * |
| | Kinematic viscosity at 20 ºC: | Not relevant * |
| | Kinematic viscosity at 40 ºC: | Not relevant * |
| | Concentration: | Not relevant * |
| | pH: | 2,5 - 3,5 (at 1 %) |
| | Vapour density at 20 ºC: | Not relevant * |
| | Partition coefficient n-octanol/water 20 ºC: | Not relevant * |
| | Solubility in water at 20 °C: | Not relevant * |
| | Solubility properties: | Not relevant * |
| | Decomposition temperature: | Not relevant * |
| | Melting point/freezing point: | Not relevant * |
| | Flammability: | |
| | Flash Point: | Non Flammable (>60 °C) |
| | Flammability (solid, gas): | Not relevant * |
| | Autoignition temperature: | 192 ºC |
| | Lower flammability limit: | Not relevant * |
| | Upper flammability limit: | Not relevant * |
| | Particle characteristics: | |
| | Median equivalent diameter: | Non-applicable |
| 2 | Other information: | |
| | Information with regard to physical hazard classes: | |
| | Explosive properties: | Not relevant * |
| | Oxidising properties: | Not relevant * |
| | Corrosive to metals: | Not relevant * |
| | Heat of combustion: | Not relevant * |
| | Aerosols-total percentage (by mass) of flammable components: Other safety characteristics: | Not relevant * |
| | Surface tension at 20 ºC: | Not relevant * |
| | Refraction index: | Not relevant * |
| | *Not relevant due to the nature of the product, not providing inform | nation property of its hazards. |
| _ | | |

SECTION 10: STABILITY AND REACTIVITY


10.1 Reactivity:

9.2

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7 from Safety Data Sheet.

10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.



APT-A FoamBoost



SECTION 10: STABILITY AND REACTIVITY (continued)

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

| Shock and friction Contact with air | | Increase in temperature | Sunlight | Humidity | |
|-------------------------------------|----------------|-------------------------|------------|----------------|--|
| Not applicable | Not applicable | Precaution | Precaution | Not applicable | |
| | | | | | |

10.5 Incompatible materials:

| Acids | Water | Oxidising materials | Combustible materials | Others |
|--------------------|----------------|---------------------|-----------------------|-------------------------------|
| Avoid strong acids | Not applicable | Avoid direct impact | Not applicable | Avoid alkalis or strong bases |

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO₂), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION **

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

- A- Ingestion (acute effect):
 - Acute toxicity: Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
 - Corrosivity/Irritability: The consumption of a considerable dose can cause irritation in the throat, abdominal pain, nausea and vomiting.
- B- Inhalation (acute effect):
 - Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for inhalation. For more information see section 3.
 - Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):
 - Contact with the skin: Produces skin inflammation.
 - Contact with the eyes: Produces eye damage after contact.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
 - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.
 - IARC: d-limonene (3); 7-methyl-3-methyleneocta-1,6-diene (2B)
 - Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
 - Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- E- Sensitizing effects:
 - Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
 - Skin: Prolonged contact with the skin can result in episodes of allergic contact dermatitis.
- F- Specific target organ toxicity (STOT) single exposure:

Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.

G- Specific target organ toxicity (STOT)-repeated exposure:

** Changes with regards to the previous version



ProElite[®] ical Company

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

APT-A FoamBoost



SECTION 11: TOXICOLOGICAL INFORMATION ** (continued)

- Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as
- it does not contain substances classified as hazardous for this effect. For more information see section 3.
- Skin: Based on available data, the classification criteria are not met. However, it does contain substances which are
- classified as dangerous due to repetitive exposure. For more information see section 3.
- H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

Other information:

Not relevant

Specific toxicology information on the substances:

| Identification | A | cute toxicity | Genus | |
|---|-----------------|-------------------|--------|--|
| Citric Acid | LD50 oral | 5400 mg/kg | Rat | |
| CAS: 77-92-9 | LD50 dermal | >2000 mg/kg | | |
| EC: 201-069-1 | LC50 inhalation | >5 mg/L | | |
| methanesulphonic acid | LD50 oral | 1157 mg/kg (ATEi) | Rat | |
| CAS: 75-75-2 | LD50 dermal | 1000 mg/kg (ATEi) | Rabbit | |
| EC: 200-898-6 | LC50 inhalation | >5 mg/L | | |
| Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts | LD50 oral | 2290 mg/kg | Rat | |
| CAS: 68439-57-6 | LD50 dermal | 6300 mg/kg | Rabbit | |
| EC: 931-534-0 | LC50 inhalation | >20 mg/L | | |
| Isopentyl acetate | LD50 oral | 7400 mg/kg | Rat | |
| CAS: 123-92-2 | LD50 dermal | >2000 mg/kg | | |
| EC: 204-662-3 | LC50 inhalation | >20 mg/L | | |
| Isoeugenol | LD50 oral | 1500 mg/kg | Rat | |
| CAS: 97-54-1 | LD50 dermal | 1100 mg/kg | Rat | |
| EC: 202-590-7 | LC50 inhalation | >20 mg/L | | |
| Ethyl acetate | LD50 oral | 4100 mg/kg | Rat | |
| CAS: 141-78-6 | LD50 dermal | 20000 mg/kg | Rabbit | |
| EC: 205-500-4 | LC50 inhalation | >20 mg/L | | |

Acute Toxicity Estimate (ATE mix):

| | ATE mix | | | |
|--|-------------------------------------|----------------|--|--|
| Oral 55095,24 mg/kg (Calculation method) 0 | | 0 % | | |
| Dermal 47619,05 mg/kg (Calculation method) (| | 0 % | | |
| Inhalation | >20 mg/L (4 h) (Calculation method) | Non-applicable | | |

11.2 Information on other hazards:

Endocrine disrupting properties

Endocrine-disrupting properties: The product does not meet the criteria.

Other information

Not relevant

* Changes with regards to the previous version

SECTION 12: ECOLOGICAL INFORMATION **

The experimental information related to the eco-toxicological properties of the product itself is not available

Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

12.1 Toxicity:

Acute toxicity:

** Changes with regards to the previous version



APT-A FoamBoost



SECTION 12: ECOLOGICAL INFORMATION ** (continued)

| Identification | | Concentration | Species | Genus |
|---|------|-----------------------|---------------------------|------------|
| Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts | LC50 | 4,2 mg/L (96 h) | Brachydanio rerio | Fish |
| CAS: 68439-57-6 | EC50 | 4,53 mg/L (48 h) | Daphnia magna | Crustacean |
| EC: 931-534-0 | EC50 | 5,2 mg/L (72 h) | Skeletonema costatum | Algae |
| Citric Acid | LC50 | 1516 mg/L (96 h) | Lepomis macrochirus | Fish |
| CAS: 77-92-9 | EC50 | 160 mg/L (48 h) | N/A | Crustacean |
| EC: 201-069-1 | EC50 | Not relevant | | |
| methanesulphonic acid | LC50 | 73 mg/L (96 h) | Oncorhynchus mykiss | Fish |
| CAS: 75-75-2 | EC50 | 50 mg/L (48 h) | Daphnia magna | Crustacean |
| EC: 200-898-6 | EC50 | 26 mg/L (96 h) | Selenastrum capricornutum | Algae |
| Isopentyl acetate | LC50 | >10 - 100 mg/L (96 h) | | Fish |
| CAS: 123-92-2 | EC50 | >10 - 100 mg/L (48 h) | | Crustacean |
| EC: 204-662-3 | EC50 | >10 - 100 mg/L (72 h) | | Algae |
| Ethyl acetate | LC50 | 230 mg/L (96 h) | Pimephales promelas | Fish |
| CAS: 141-78-6 | EC50 | 717 mg/L (48 h) | Daphnia magna | Crustacean |
| EC: 205-500-4 | EC50 | 3300 mg/L (48 h) | Scenedesmus subspicatus | Algae |

Chronic toxicity:

| Identification | Concentration | | Species | Genus |
|---|---------------|--------------|---------------------|------------|
| Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts | NOEC | Not relevant | | |
| CAS: 68439-57-6 EC: 931-534-0 | NOEC 6,3 mg/L | | Daphnia magna | Crustacean |
| Ethyl acetate | NOEC | 9,65 mg/L | Pimephales promelas | Fish |
| CAS: 141-78-6 EC: 205-500-4 | NOEC | 2,4 mg/L | Daphnia magna | Crustacean |

12.2 Persistence and degradability:

Substance-specific information:

| Identification | Degradability | | Biodegradat | bility |
|---|---------------|--------------|-----------------|----------|
| Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts | BOD5 | Not relevant | Concentration | 20 mg/L |
| CAS: 68439-57-6 | COD | Not relevant | Period | 28 days |
| EC: 931-534-0 | BOD5/COD | Not relevant | % Biodegradable | 96 % |
| Citric Acid | BOD5 | Not relevant | Concentration | 10 mg/L |
| CAS: 77-92-9 | COD | Not relevant | Period | 28 days |
| EC: 201-069-1 | BOD5/COD | Not relevant | % Biodegradable | 97 % |
| methanesulphonic acid | BOD5 | Not relevant | Concentration | 161 mg/L |
| CAS: 75-75-2 | COD | Not relevant | Period | 28 days |
| EC: 200-898-6 | BOD5/COD | Not relevant | % Biodegradable | 100 % |
| Isopentyl acetate | BOD5 | Not relevant | Concentration | 100 mg/L |
| CAS: 123-92-2 | COD | Not relevant | Period | 28 days |
| EC: 204-662-3 | BOD5/COD | Not relevant | % Biodegradable | 44 % |
| Ethyl acetate | BOD5 | 1,36 g O2/g | Concentration | 100 mg/L |
| CAS: 141-78-6 | COD | 1,69 g O2/g | Period | 14 days |
| EC: 205-500-4 | BOD5/COD | 0,8 | % Biodegradable | 83 % |

12.3 Bioaccumulative potential:

Substance-specific information:

| Identification | Bioaccumulation potential | | |
|---|---------------------------|----------|--|
| Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts | BCF | 71 | |
| CAS: 68439-57-6 | Pow Log | -1.3 | |
| EC: 931-534-0 | Potential | Moderate | |
| Citric Acid | BCF | 3 | |
| CAS: 77-92-9 | Pow Log | -1.55 | |
| EC: 201-069-1 | Potential | Low | |

** Changes with regards to the previous version



APT-A FoamBoost



SECTION 12: ECOLOGICAL INFORMATION ** (continued)

| Identification | Bioaccumulation potential | |
|----------------|---------------------------|----------|
| Ethyl acetate | BCF | 30 |
| CAS: 141-78-6 | Pow Log | 0.73 |
| EC: 205-500-4 | Potential | Moderate |

12.4 Mobility in soil:

| Identification | Absorption/desorption | | Volatility | |
|---|-----------------------|-----------------------------|------------|-------------------|
| Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts | Кос | 1.6 | Henry | 6,7E-2 Pa·m³/mol |
| CAS: 68439-57-6 | Conclusion | Very High | Dry soil | Yes |
| EC: 931-534-0 | Surface tension | Not relevant | Moist soil | Yes |
| Citric Acid | Кос | Not relevant | Henry | Not relevant |
| CAS: 77-92-9 | Conclusion | Not relevant | Dry soil | Not relevant |
| EC: 201-069-1 | Surface tension | 2,045E-2 N/m (350,93 ≌C) | Moist soil | Not relevant |
| methanesulphonic acid | Кос | 1 | Henry | 1,28E-3 Pa·m³/mol |
| CAS: 75-75-2 | Conclusion | Very High | Dry soil | No |
| EC: 200-898-6 | Surface tension | 0E+0 N/m (-273,15 ºC) | Moist soil | No |
| Isopentyl acetate | Кос | Not relevant | Henry | Not relevant |
| CAS: 123-92-2 | Conclusion | Not relevant | Dry soil | Not relevant |
| EC: 204-662-3 | Surface tension | 2,388E-2 N/m (25 °C) | Moist soil | Not relevant |
| Ethyl acetate | Koc | 59 | Henry | 13,58 Pa·m³/mol |
| CAS: 141-78-6 | Conclusion | Very High | Dry soil | Yes |
| EC: 205-500-4 | Surface tension | 2,324E-2 N/m (25 °C) | Moist soil | Yes |

12.5 Results of PBT and vPvB assessment:

Product does not meet PBT/vPvB criteria

12.6 Endocrine disrupting properties:

Endocrine-disrupting properties: The product does not meet the criteria.

12.7 Other adverse effects:

Not described

* Changes with regards to the previous version

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Type of waste (Regulation (EU) No 1357/2014):

Not relevant

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-hazardous residue. Waste should not be disposed of to drains. See paragraph 6.2.

Regulations related to waste management:


In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION

Transport of dangerous goods by land:

With regard to ADR 2023 and RID 2023:





APT-A FoamBoost



| SECTION 14: | TRANSPORT INFORMATIC | N (continued) |
|-------------|---|---------------|
| 14.1 | UN number or ID number: | Not relevant |
| 14.2 | UN proper shipping name: | Not relevant |
| 14.3 | Transport hazard class(es): | Not relevant |
| | Labels: | Not relevant |
| 14.4 | Packing group: | Not relevant |
| 14.5 | Environmental hazards: | No |
| 14.6 | Special precautions for user | |
| | Special regulations: | Not relevant |
| | Tunnel restriction code: | Not relevant |
| | Physico-Chemical properties: | see section 9 |
| | Limited quantities: | Not relevant |
| 14.7 | Maritime transport in bulk according to IMO instruments: | Not relevant |
| Transpor | t of dangerous goods by sea: | |
| With rega | ard to IMDG 41-22: | |
| 14.1 | UN number or ID number: | Not relevant |
| 14.2 | UN proper shipping name: | Not relevant |
| 14.3 | Transport hazard class(es): | Not relevant |
| | Labels: | Not relevant |
| 14.4 | Packing group: | Not relevant |
| 14.5 | Marine pollutant: | No |
| 14.6 | Special precautions for user | |
| | Special regulations: | Not relevant |
| | EmS Codes: | |
| | Physico-Chemical properties: | see section 9 |
| | Limited quantities: | Not relevant |
| | Segregation group: | Not relevant |
| 14.7 | Maritime transport in bulk according to IMO instruments: | Not relevant |
| Transpor | t of dangerous goods by air: | |
| With rega | ard to IATA/ICAO 2024: | |
| 14.1 | UN number or ID number: | Not relevant |
| 14.2 | UN proper shipping name: | Not relevant |
| 14.3 | Transport hazard class(es): | Not relevant |
| | Labels: | Not relevant |
| 14.4 | Packing group: | Not relevant |
| 14.5 | Environmental hazards: | No |
| 14.6 | Special precautions for user | |
| | Physico-Chemical properties: | see section 9 |
| 14.7 | Maritime transport in bulk according to IMO instruments: | Not relevant |

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

- Article 95, REGULATION (EU) No 528/2012: Citric Acid (77-92-9) PT: (2)
- Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Not relevant
- Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Not relevant
- REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Not relevant
- Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Not relevant

Regulation (EC) No 648/2004 on detergents:

In accordance with this regulation the product complies with the following:

The tensoactives contained in this mixture comply with the biodegradibility criteria stipulated in Regulation (EC) $n^{\circ}648/2004$ on detergents. The information to prove this is available to the relevant authorities of the Member States and will be shown to them by direct request or the request of a detergent manufacturer. Labelling for contents:

ProElite[®]

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

APT-A FoamBoost



SECTION 15: REGULATORY INFORMATION (continued)

| Component | Concentration interval |
|---------------------|------------------------|
| Anionic surfactants | 5 <= % (w/w) < 15 |
| perfumes | |

Allergenic fragrances: Benzaldehyde (BENZALDEHYDE), Citral (CITRAL), d-limonene (LIMONENE), Isoeugenol (ISOEUGENOL), Linalool (LINALOOL), L-p-mentha-1(6),8-dien-2-one (CARVONE), Pin-2(3)-ene (PINENE), Vanillin (VANILLIN). Seveso III:

Not relevant

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc):

Shall not be used in:

-ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

-tricks and jokes,

-games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

The product could be affected by sectorial legislation

- Regulation (EC) No 1223/2009 of the European Parliament and of the Council of 30 November 2009 on cosmetic products

- Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents

- Commission Regulation (EC) No 907/2006 of 20 June 2006 amending Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents, in order to adapt Annexes III and VII

- Commission Regulation (EC) No 551/2009 of 25 June 2009 amending Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents, in order to adapt Annexes V and VI thereto (surfactant derogation)

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

SECTION 16: OTHER INFORMATION **

Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

COMPOSITION/INFORMATION ON INGREDIENTS (SECTION 3, SECTION 11, SECTION 12):

New declared substances

Isoeugenol (97-54-1)

Isopentyl acetate (123-92-2)

Removed substances

d-limonene (5989-27-5)

Substances that contribute to the classification (SECTION 2):

New declared substances

Isoeugenol (97-54-1)

CLP Regulation (EC) No 1272/2008 (SECTION 2, SECTION 16):

Hazard statements

· Supplementary information

Texts of the legislative phrases mentioned in section 2:

H319: Causes serious eye irritation.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

CLP Regulation (EC) No 1272/2008:

Safety data sheet



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

APT-A FoamBoost



| SECTION 16: OTHER INFORMATION ** (continued) |
|--|
| Acute Tox. 4: H302+H312 - Harmful if swallowed or in contact with skin. Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects. Eye Dam. 1: H318 - Causes serious eye damage. Eye Irrit. 2: H319 - Causes serious eye irritation. Flam. Liq. 2: H225 - Highly flammable liquid and vapour. Flam. Liq. 3: H226 - Flammable liquid and vapour. Met. Corr. 1: H290 - May be corrosive to metals. Skin Corr. 1B: H314 - Causes severe skin burns and eye damage. Skin Irrit. 2: H315 - Causes skin irritation. Skin Sens. 1A: H317 - May cause an allergic skin reaction. STOT SE 3: H335 - May cause respiratory irritation. STOT SE 3: H336 - May cause drowsiness or dizziness. |
| Classification procedure: |
| Eye Irrit. 2: Calculation method Skin Irrit. 2: Calculation method Skin Sens. 1A: Calculation method |
| Advice related to training: |
| Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product. |
| Principal bibliographical sources: |
| http://echa.europa.eu http://eur-lex.europa.eu |
| Abbreviations and acronyms: |
| ADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International maritime dangerous goods code |
| IATA: International Air Transport Association |
| ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand |
| BOD5: 5day biochemical oxygen demand |
| BCF: Bioconcentration factor |
| LD50: Lethal Dose 50 |
| LC50: Lethal Concentration 50 |
| EC50: Effective concentration 50 |
| LogPOW: Octanolwater partition coefficient Koc: Partition coefficient of organic carbon |
| Voc: Partition coefficient of organic carbon UFI: unique formula identifier |
| IARC: International Agency for Research on Cancer |
| |
| |

** Changes with regards to the previous version

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.